WATER WELL RECO	ORD	Form W	WC-5	D	ivision of Water	Resources App. No	PZ-A (S)	
1 LOCATION OF WAT		Fraction					Range Number	
County: Atchison		SE 14 NW 14 SV	V 1/4 1	4	2	T 6 S	R 20 ZDE □W	
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here					Latitude: 39.5554 (in decimal degrees)			
2604 Industry Street					Longitude: 95.1553 (in decimal degrees)			
2004 industry Street					Elevation: ,			
THE WILL AND THE STATE OF THE S					<u>Datum</u> :   ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Unit Rail Anchor				Colle	Collection Method:			
RR#, Street Address, Box #: 2604 Industry Street					GPS unit (Make/Model:)			
City, State, ZIP Code : Atchison, KS 66002					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey  Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 13.0' ft.								
N	SECTION BOX: Depth(s) Groundwater Encountered (1)							
Pump test data: Well water wasft. after hours pumping								
EST. YIELDgpm. Well water wasft. afterhours pumpinggpm								
W Bore Hole Diameter in. to ft., and in. to ft.								
WELL WATER TO BE USED AS:								
SW SE Domestic    Feedlot    Oil field water supply    Dewatering    Other (Specify below)								
Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes V No								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? ☐ Yes ☑ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter 1.0 in. to								
Casing height above land surface. Flush in., Weight								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From								
Fromft. to								
GRAVEL PACK INTERVALS: From								
From								
6 GROUT MATERIAL: Neat cement Cement grout 7 Bentonite Other								
Grout Intervals: From .	) ft. to	13.0' ft. From	ì	ft. to	ft	From	. ft. toft.	
What is the nearest source of					,			
Septic tank	Lateral line	es 🔲 Pit privy	Livestock	pens	☐ Insecticide s	storage Oth	er (specify below)	
Sewer lines	Cesspool	_ ;	🔲 Fuel stora	_	Abandoned	water well		
☐ Watertight sewer line			Fertilizer		Oil well/gas			
Direction from well								
FROM TO	LITHOLOG	IC LOG	FROM	TO			GGING INTERVALS	
			0	13.0'	3/8 bentonit	e chips		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) .03/17/14 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No606 This Water Well Record was completed on (mo/day/year) .5/19/2014								
Kansas Water Well Contrac	tor's License No	montal This V	vater Well I	kecord w	as completed of	on (mo/day/year)	3/19/2014	
under the business name of		DI EAGE PROCESSION CO.	1 DDD#	by (s	agnature)	1.1.1.1.		
INSTRUCTIONS: Use typewrite (white, blue, pink) to Kansas Dep	л ог ball point pen. xartment of Health	r LEASE PRESS FIRML)	and <u>PKINT</u> cl	carry. Ple	ase mum blanks a on 1000 SW l⊷t	and check the correct son St. Snite 420	answers. Send three copies	
Telephone 785-296-5522. Send	one copy to WATE	ER WELL OWNER and	etain one for	your recor	ds. Include <u>fee</u>	of \$5.00 for each co	onstructed well. Visit us at	
http://www.kdheks.gov/waterwell/i								
KSA 82a-1212				Cł	neck: 🔲 Whi	te Copy, 🔲 Blu	e Copy, Pink Copy	