WATER WELL REC	OKD	FOLIII AA	W C-3	וט	VISION OF WAR	r Resources App. No	0.	
1 LOCATION OF WA	TER WELL:	Fraction				Township No.		
County: Atchison	SE ¼ NW ¼ SV			2 T 6 S R 20 ZE IV				
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Global Positioning System (GPS) information: Latitude:39.5546			
					Longitude: 95.1563 (in decimal degrees)			
2604 Industry Street					Elevation:			
					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Unit Rail Anchor				Colle	Collection Method:			
RR#, Street Address, Box #: 2604 Industry Street				اسا	GPS unit (Make/Model)			
City, State, ZIP Code : Atchison, KS 66002				Digital Map/Photo, Topographic Map, Land Survey Est. Accuracy: 3 m, 3-5 m, 5-15 m, >15 m				
3 LOCATE WELL				ESI. P	ccuracy: []	э ш, 🔲 э-э ш, 🔲	3-13 m, >13 m	
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 30.0' ft.								
SECTION BOX:								
N								
Pump test data: Well water wasft. after hours pumping gpm								
EST. YIELDgpm. Well water wasft. after hours pumping								
W E Bore Hole Diameter in. to ft., and in. to ft.								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes V No								
S If yes, mo/day/yr sample was submitted								
Water wen distinct at: 100 kg 140								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter 1.0 in to ft. Diameter in to ft. Diameter in to ft.								
Casing height above land surface. Flush in., Weight								
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
From ft. to ft., From ft. to ft. 6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From 0 ft. to								
			•	1c w		110111	. 16. 10	
What is the nearest source of possible contamination: Septic tank								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
Watertight sewer li			Fertilizer s		Oil well/ga		•••••••	
Direction from well						20 (4) PI II	CODIO DEEDVALO	
FROM TO	LITHOLOG	IC LOG	FROM	TO 30.0'			GGING INTERVALS	
			0	30.0	3/8 benton	ite chips		
			 					
			 					
			 					
			 					
			tt					
			 					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or / plugged								
under my jurisdiction and was completed on (mo/day/year) 03/17/14 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 606. This Water Well Record was completed on (mo/day/year) 5/19/2014								
under the business name of PSA Environmental by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								

PZ-B (D)