WATER WELL REC	ORD	Form W	WC-5	D	Division of Water	Resources App. No	PZ-20 (S)	
1 LOCATION OF WAT		Fraction					Range Number	
County: Atchison		SE 1/4 NW 1/4 SV	N 1/4	1/4	2	T 6 S		
Street/Rural Address of				al Positioning	System (GPS) in			
from nearest town or intersection: If at owner's address, check here .					Latitude: 39.5550 (in decimal degrees)			
2604 Industry Street					Longitude: 95.1551 (in decimal degrees)			
2007 industry offoot					Elevation:			
2 WATER WELLOWNER.					<u>Datum</u> : ∠ WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Unit Rail Anchor					Collection Method:			
RR#, Street Address, Box #: 2604 Industry Street					GPS unit (Make/Model)			
City, State, ZIP Code : Atchison, KS 66002					Digital Map/Photo, Topographic Map, Land Survey Est. Accuracy: 3m, 3-5m, 5-15m, >15m			
3 LOCATE WELL								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 8.0' ft.								
SECTION BOX: Depth(s) Groundwater Encountered (1)								
N								
Pump test data: Well water wasft. after hours pumping								
EST. YIELDgpm. Well water wasft. after hours pumpinggpm								
W Bore Hole Diameter								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
Domestic Deedlot Dilfield water symply Devystering DOther (Specify below)								
SW SE								
Was a chemical/bacteriological sample submitted to Department? Yes V No								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? Yes No								
5 TYPE OF CASING USED: Steel PVC Other Other								
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 1.0 in. to ft., Diameter in. to ft., Diameter ft.								
Casing diameter .1.0	fa.a. Flush	II., Dameter	11.	1. to	IL, DI		. m. to It.	
Casing height above land surface. Flush in., Weight lbs./ft., Wall thickness or gauge No. Sch. 40 TYPE OF SCREEN OR PERFORATION MATERIAL:								
			г	704	(C:E-)			
☐ Steel ☐ Stainless Steel								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
		From	ft. to		ft., From	ft. t	o ft.	
GRAVEL PACK	INTERVALS:	From	ft. to		ft., From	ft. t	to ft.	
		From	ft. to		ft., From	ft. t	o ft.	
6 GROUT MATERIAL:	☐ Neat ceme	nt Cement groun	t 🗹 Bente	onite [] Other		. ft. toft.	
Grout Intervals: From .) ft. to		n	. ft. to	ft.,	From	. ft. toft.	
What is the nearest source of	of possible contain	mination:						
Septic tank	☐ Lateral line ☐ Cesspool		Livestock		Insecticide :	~ —	er (specify below)	
Sewer lines								
Watertight sewer line			Fertilizer		Oil well/gas			
FROM TO	LITHOLOG	IC I OG					CODIO DIEDDILLI C	
FROM 10	LITHOLOG	CLOG	FROM	TO			GGING INTERVALS	
			0	8.0'	3/8 bentonit	e chips		
								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or Z plugged								
under my jurisdiction and was completed on (mo/day/year) .03/17/14 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 606 This Water Well Record was completed on (mo/day/year) 5/19/2014								
under the business name of	PSA.Environ	mental		by (s	signature)		•••••••	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
(white, blue, pink) to Kansas Dep	artment of Health a	nd Environment, Bureau	of Water, Geo	logy Section	on, 1000 SW Jack	son St., Suite 420, T	opeka, Kansas 66612-1367.	
Telephone 785-296-5522. Send (http://www.kdheks.gov/waterwell/i		K WELL OWNER and I	retain one for	your recor	rus. Include <u>fee</u>	or \$5.00 for each <u>co</u>	ostructed well. Visit us at	
CSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								
						~~PJ, DIW		