WATER WELL RECORD	Form W	WC-5	Di	ivision of Wate	r Resources App. N	PZ-25 (S)	
1 LOCATION OF WATER WELL:	Fraction		Section Number Township No. Range Number				
County: Atchison	SE 1/4 NW 1/4 SW	1/4 1/		2	T 6 S	R 20 ZE □W	
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .			Latit	Latitude: 39.5549 (in decimal degrees)			
2604 Industry Street			Long	Longitude: 95.1558 (in decimal degrees)			
200 : maasa, caree			Eleva	Elevation:			
2 WATER WELL OWNER: Unit Rail Anchor				Datum: ☑ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Unit Rail Anchor RR#, Street Address, Box #: 2604 Industry Street				Collection Method: GPS unit (Make/Model)			
a: a am a 1				Digital Map/Photo, Topographic Map, Land Survey			
City, State, ZIP Code : Atchison, KS 66002				Est. Accuracy: 3 m, 3-5 m, 5-15 m, >15 m			
3 LOCATE WELL							
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 8.0' ft.							
SECTION BOX: Depth(s) Groundwater Encountered (1)							
Pump	Pump test data: Well water was						
W - NW - NE - NE - Bore Hole Diameter							
							Domestic Feedlot Oil field water supply Dewatering Other (Specify below)
swsE Domestic Irectable Domestic-lawn & garden Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes Y No							
S If yes, mo/day/yr sample was submitted							
Water well disinfected? ☐ Yes ☑ No							
5 TYPE OF CASING USED: Steel V PVC Other							
CASING JOINTS: Glued Clamped Welded M Threaded							
Casing diameter 1.0 in. to							
Casing height above land surface. Flush	in., Weight		lbs./f	t., Wall thic	kness or gauge N	o Sch. 40	
TYPE OF SCREEN OR PERFORATION							
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS:	From f	t. to		ft., From	ft.	to ft.	
	From f	ì. to		ft., From	ft.	to ft.	
GRAVEL PACK INTERVALS:				•			
From							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 0 ft. to 8.0' ft., From ft. to ft., From ft. to ft.							
			ft. to	It.,	From	. ft. toft.	
What is the nearest source of possible conta		T i wartook		□ In contini do	etermon [] Oth	(
Sewer lines Cesspool		Livestock Fuel stora		☐ Insecticide ☐ Abandoned		ner (specify below)	
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well						• • • • • • • • • • • • • • • • • • • •	
Direction from well							
FROM TO LITHOLOG	IC LOG	FROM	TO	LITHO. LO	OG (cont.) <u>or</u> PLU	IGGING INTERVALS	
		0	8.0'	3/8 bentoni	ite chips		
7 CONTRACTORS OF LANDOWNED'S CERTIFICATION. This water well was a second of the second							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) .03/17/14 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 606 This Water Well Record was completed on (mo/day/year) .5/19/2014							
under the business name of PSA Environmental by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health a	md Environment, Bureau o	f Water, Geol	ogy Section	nn, 1000 SW Jac	kson St., Suite 420,	Topeka, Kansas 66612-1367.	
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy							