WAII	EK WI	LLL PLU		KECOKD	Form W V	/ C-3 P	KSA 82	a-1212 ID NO.			
	CATION unty: A		ER WELL:	Fraction SF 1/4 SE	¼ NW ¼ NW	1	n Number 6	Township Number T 6 S	Range Number 21 X E W		
			Well Location:	· <del>/··</del>			Global Positioning Systems (GPS) information:				
f	Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address,							Latitude: 39.56058 (in decimal degrees)			
1							Latitude: 39.56058 (in decimal degrees)  Longitude: 95.11935 (in decimal degrees)				
Che							Elevation: 805.06				
			S. 5th St.	CHISOH, NO, 40	West	Horizont	Horizontal Datum: WGS84, NAD83, NAD27				
	5. 5. 541 54						n Method:		· —		
2 WATER WELL OWNER: KDHE BER							GPS unit (Make/Model:				
1			11221	00 SW Jacksor	1	│ □ □ Di	gital Map/Ph	oto, Topographic	Map, 🛛 Land Survey		
City State 7ID Code: Ste, 410									<u></u>		
City, State ZIP Code: Topeka, KS 66612-1367 Est. Accuracy: X < 3 m, 3-5 m, 5-15 m,									5-15 m, □ > 15 m		
2 MADIA WELLIGI OCATION A DESCRIPTION 20.03											
3 MARK WELL'S LOCATION 4 DEPTH OF WELL 20.03 ft.											
BOX: WELL'S STATIC WATER LEVEL 13.97 ft											
_	N WELL WAS USED AS:										
	WELL WAS USED AS:  NW X NE Domestic Public Water Supply Dewatering										
			1	│	ation L	Oil Fiel	d Water Su	pply 🔀 Moni	toring		
w			E	Feed	lot	Domest	ic (Lawn &	Garden) Injec	tion Well		
	sw		1	Indu	strial L	☐ Air Cor	ditioning	☐ Othe	·		
	_ 5₩		SE —								
	Was a chemical/bacteriological sample submitted to Department? Yes No X										
<u> </u>											
5 TYPE OF BLANK CASING USED:											
_											
[ <u> </u>	Steel RMP (SR) Wrought Fiberglass Other (Specify below)										
×	X PVC Asbestos-Cement Concrete Tile										
		••			,, ,,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	a 🗆					
Bla	ank casir	ig diameter	$r = \frac{2}{1}$ in.	Was casing p	pulled? Yes L	IJ No L	If yes, ho	w much 3 FT			
Cas	sing heig	ght above o	or below land	surface 36	in.						
6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other											
U GROUTTLUG MATERIAL: — Neat cement — Cement grout — Dentonite — Other											
Grout Plug Intervals: From 3 ft. to 20.03 ft., From ft. to ft., From ft., From ft.											
11. 11. 11. 11. 11. 11. 11. 11. 11. 11.											
Wh	at is the	nearest sou	irce of possib	le contaminati	on:						
	Septic			eepage pit		torage	<b>[X]</b> (	Other (specify below)			
Sewer lines Pit privy Fertilizer storage Buried Storm drain											
Watertight sewer lines   Sewage lagoon   Insecticide storage											
Lateral lines Feedyard Abandoned water well Direction from well? Northeast											
	Cess po	ool	Li	ivestock pens	Oil we	ll/Gas well	Ho	w many feet?	180 ft		
F	ROM	TO	PLUG	GING MATE	RIALS	FROM	TO	PLUGGING	MATERIALS		
	0	0.5	Aspha	alt							
	0.5	3	Compact	ed Silt/Clay							
		20.03		Bentonite Chir							
	3	20.03	riyurated	Demonite Citi	<i></i>						
<u> </u>											
			İ								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was											
		no/day/yea		/NER'S CER /2016					d belief. Kansas Water		
Wall Co	eu on (1	no/day/yea			_ and this led	ord is time	commisted of	of the knowledge and	1/8/2016den the		
Well Contractor's License No. 585. This Water Well Record was completed on (mo/day/year) 11/8/2016 under the business name of Associated Environmental, Inc. by (signature)											
business name of											
Send one white copy to Kansas Department of Health & Environment, Geology Section, 1000 SW Jackson Street, Ste. 420, Topeka, KS											
66612-1367. Send one copy to WATER WELL OWNER and retain one for your records.											
Visit us at http://www.kdheks.gov/waterwell/index.html Telephone 785-296-5524.											
v isit us at <u>http://www.kaneks.gov/waterwett/index.ntinn</u> refeptione /83-290-3324.											
		'	visit us at <u>http</u>	o://www.kdhel	s.gov/waterwe	ell/index.htr	<u>nl</u> Telepl	ione 785-296-5524.			

MW8