WATER WELL RECORD	Form WV	VC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL: County: MARSHAL	Fraction 4 SW 1/4 SE	14 SW 14	Section Number Township No. Range Number  T 3 S R 6 ME W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here		Global Positioning System (GPS) information:  Latitude:		
			Longitude: 96.70.690	
2 WATER WELL OWNER: RICKAND CAROL WEIGHT			Collection Method:	
RR#, Street Address, Box #: 634 OSAGE RO. City, State, ZIP Code : MADWITUS NC 6450R			☐ GPS unit (Make/Model: GALITY ETREX) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	
City, State, ZIP Code : MARYSWILLE, KS 6650B		Est. Accuracy: $\square < 3 \text{ m}$ , $\square 3-5 \text{ m}$ , $\square 5-15 \text{ m}$ , $\square > 15 \text{ m}$		
3 LOCATE WELL	COMPLETED WELL	82		
SECTION BOX: Depth(s) Ground	BOX: Depth(s) Groundwater Encountered (1)			
N WELL'S STAT	WELL'S STATIC WATER LEVEL Z.B			
ECT VIELD 5	Pump test data: Well water wasft. after			
w   NW   NE   EST. FIELD. 3.0gpm. wen water was				
WELL WATER TO BE USED AS: □ Public water supply □ Geothermal □ Injection well				
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)				
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well				
S If yes, mo/day/yr sample was submitted				
1 mile  Water well disinfected? Yes \( \sum \) No				
5 TYPE OF CASING USED: Steel PVC Other				
CASING JOINTS: A Glued Clamped Welded Threaded Casing diameter in. to				
Casing height above land surface				
TYPE OF SCREEN OR PERFORATION MATERIAL:				
☐ Steel ☐ Stainless Steel ☐ Other (Specify)				
SCREEN OR PERFORATION OPENINGS ARE:				
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)				
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)				
SCREEN-PERFORATED INTERVALS: From 6.2       ft. to 6.2       ft., From ft. to ft.         From ft. to ft.         GRAVEL PACK INTERVALS: From 2.5       ft. to 8.2       ft., From ft. to ft.				
GRAVEL PACK INTERVALS:	From ft.	. to <b>B</b> .Z_	ft., From	
6 GROUT MATERIAL: Neat ceme	ent	Benton	ft., From ft. to ft.	
Grout Intervals: From ft. to	<b>2.5</b> ft., From .		. ft. to	
What is the nearest source of possible conta		7 T :	Through the state of the Control of	
Sewer lines Cesspool	Sewage lagoon	] Livestock p ] Fuel storag	ge Abandoned water well	
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well				
Direction from well	ICLOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0 5 CLAY, BROWN	1000		B2 SHALL GRAY	
5 14 CLAY GRAY				
14 30 SHALE CALCARE	OUS, TAN			
30 32 LAMESTOWR 32 39 SHALR GRAY TO	REN			
39 43 LIMESTONE	194)			
43 49 SHALE TAN				
49 52 LIMESTONE				
52 GB SHALE, RED GB 76 LIMESTONE, H2	m			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged				
under my jurisdiction and was completed on (mo/day/year) 12-13-22 and this record is true to the best of my knowledge and belief.				
Kansas Water Well Contractor's License No. 7.60 This Water Well Record was completed on (modey/year) 14-7-201/ under the business name of				
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies				
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at				
http://www.kdheks.gov/waterwell/index.html.				