KOLAR Document ID: 1584900

	R WELL R			WWC-5		vision of Wat						
		Correction		e in Well Use		ources App. 1			Well ID			
			Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$		Section Number Township Num				ge Number			
e ou my.						$\begin{array}{c c c c c c c c c c c c c c c c c c c $						
							rection from nearest town or intersection): If at owner's address, check here:					
Address		uncetion from	,,,									
Address			G	710								
City: 3 LOCA		I	State:	ZIP:								
WITH		IPLETED WELL: .										
	TION BOX . Depth(s) Groundwater Encountered: 1)					Longitude:(decimal degrees)						
	N 2) ft. 3) ft., or 4)							WGS 84 INAI		IAD 27		
	below land surface, measured on (mo-day-yr							Latitude/Longitude: unit make/model:)		
NW -	NW NE above land surface, measured on (n				yr)		(WAAS enabled? Yes No)					
	Pump test data: Well water wa							Land Survey Topographic Map				
W	Wall			s pumping vater was f		□ Online Mapper:						
X SW -				s pumping								
	Estimated Yield:					6 Elevation:ft. Ground Level TOC						
	S Bore Hole Diameter:							<u>e</u> : □ Land Survey □ GPS □ Topographic Map □ Other				
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 												
🗌 Lawn	Lawn & Garden 7. Aquifer Recharge: well ID							Uncased 0				
	Livestock 8. Monitoring: well ID						12. Geothermal: how many bores?					
	2. Irrigation 9. Environmental Remediation: well ID.						a) Closed Loop 🔲 Horizontal 🗌 Vertical					
	3. □ Feedlot □ Air Sparge □ Soil Vapor Ex 4. □ Industrial □ Recovery □ Injection						b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Ves No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
Steel Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.												
GRAVEL PACK INTERVALS: From ft., from ft., From ft., From ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other ft. From ft. to												
	urce of possible			potential source of con			1		11.			
□ Septic			Lateral Line	es 🗌 Pit Privy		Livestock P	ens	Insection	ide Storage			
□ Sewer			Cess Pool	Sewage Lag		Fuel Storage			oned Water	Well		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)												
Direction from well? ft.												
10 FROM			ITHOLOG		FROM	TO		HO. LOG (cont.) or		G INTERVALS		
	<u> </u>											
<u> </u>					Notes:		I					
				S CERTIFICATION								
under my	jurisdiction an	id was compl	leted on (n	no-day-year)	and	this record	is tru	te to the best of my	y knowledg	ge and belief.		
				This Wa								
	9	Send one copy to	WATER W	ELL OWNER and retain of	one for your rec	ords. Fee of \$	5.00 f	or each constructed we	11.			
	tment of Health as http://www.kdhel			Vater, Geology Section, 10	00 SW Jackson	St., Suite 420	, Tope	ka, Kansas 66612-136		e 785-296-3565. A 82a-1212		
visit us at	mup.//www.kunel	ks.gov/waterWel	1/IIIuex.fitffl						LO LO	n 0 2a 1212		