	VVAII	ER WELL RECORD Fo	orm WWC-5 KSA 82a		
LOCATION OF WATER WE	LL Fraction 5 1/4	NW 1/4 NW	Section Number Sec. 2	Township Number T 6 S	Range Number R <b>5</b> E/₩
Distance and direction from ne				located within city?	
WATER WELL OWNER:	DEAN PEAL	FF			
RR#, St. Address, Box # 55		'\		Board of Agriculture	Division of Water Resource
City, State, ZIP Code :	Kandolph	Kans. 66	254	Application Number:	
DEPTH OF COMPLETED	WELL8.5ft. E	Bore Hole Diameter /	2 in. to 8 5	ft., and	in. to
Well Water to be used as:	5 Public water		8 Air conditioning	11 Injection we	
1 Domestic 3 Feedlot	6 Oil field wate	er supply	9 Dewatering	12 Other (Spec	cify below)
2 Irrigation 4 Industrial	7 Lawn and ga		10 Observation well		
2 Irrigation 4 Industrial Well's static water level	6.0 ft. below lan	nd surface measured on		onth	day
Pump Test Data					<sub>.</sub> gpm
Est. Yield g		ft. after		hours pumping	gpm
4 TYPE OF BLANK CASING		5 Wrought iron	8 Concrete tile		ed Clamped
	RMP (SR)	6 Asbestos-Cement	9 Other (specify below		ded
2 PVC	ABS	7 Fiberglass			eaded
Blank casing dia ##	. <b></b>	1.2 ft., Dia	Call to	ft., Dia	in. to f
Casing height above land surfa		· . in., weight			
TYPE OF SCREEN OR PERF		C. Elbarata	7 PVC	10 Asbestos-cen	
	Stainless steel	J	, ,	• • • •	()
	Galvanized steel	6 Concrete tile	9 ABS	12 None used (c	•
Screen or Perforation Opening				÷	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wra		9 Drilled holes	
2 Louvered shutter	4 Key punched	7 Torch cu			
Screen-Perforation Dia 8.	in. to	ο.υ π., Dia	85 to 5	π., Dia	in to
Screen-Perforated Intervals:					· · · · · · · · · · · · · · · · · · ·
One and Death Internals					
Gravel Pack Intervals:			ft., From	ft. to	
	From	ft. to	it., Fioni		
COOLT MATERIAL	1 Next coment	2 Coment grout	2 Rontonito 4	Other	
GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite 4	Other	ft to f
Grouted Intervals: From	4. ₩ ft. to /		ft. to	ft., From	ft. to
Grouted Intervals: From What is the nearest source of	# ₩ ft. to	ft., From	ft. to	ft., Fromstorage 14	ft. tof Abandoned water well
Grouted Intervals: From What is the nearest source of 1 Septic tank	9. tt. to	7 Sewage lagoor	n ft. to 11 Fertili	tt., Fromstorage 14 zer storage 15	ft. to ft. to ft.
Grouted Intervals: From	possible contamination: 4 Cess pool 5 Seepage pit	7 Sewage lagoor 8 Feed yard	ft. to 10 Fuel n 11 Fertili 12 Insec	storage 14 zer storage 15 ticide storage 16	ft. tof Abandoned water well Oil well/Gas well Other (specify below)
Grouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines	possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy	7 Sewage lagoor 8 Feed yard 9 Livestock pens	n ft. to 10 Fuel 11 Fertili 12 Insec	storage 14 zer storage 15 ticide storage 16 rtight sewer lines	ft. toft Abandoned water well Oil well/Gas well Other (specify below)
Grouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy	7 Sewage lagoor 8 Feed yard 9 Livestock pens	10 Fuel 11 Fertili 12 Insec 13 Wate	storage 14 zer storage 15 ticide storage 16 rtight sewer lines Well Disinfected? Yes	ft. tof  Abandoned water well  Oil well/Gas well  Other (specify below)
Grouted Intervals: From  What is the nearest source of	possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hov I sample submitted to De	7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet	ft. to  10 Fuel  11 Fertili  12 Insect  13 Wate  7 100 ? Water	tt., From storage 14 zer storage 15 ticide storage 16 rtight sewer lines Well Disinfected? Yes	ft. to
Grouted Intervals: From  What is the nearest source of	possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy How I sample submitted to De	7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet	ft. to  10 Fuel  11 Fertili  12 Insec  13 Water  7 100 ? Water  year: Pump Installe	tt., From storage 14 zer storage 15 ticide storage 16 rtight sewer lines Well Disinfected? Yes d? Yes	ft. to
Grouted Intervals: From  What is the nearest source of	possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy How I sample submitted to De	7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet epartment? Yes	n 10 Fuel 11 Fertili 12 Insection 13 Water 10 Pump Installe Model No.	storage 14 zer storage 15 ticide storage 16 rtight sewer lines Well Disinfected? Yes	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriological was submitted	possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hov I sample submitted to De month	7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet epartment? Yes day ft.	n 10 Fuel 11 Fertili 12 Insect 13 Water 10 Water 11 Pumps Capacity rated at	storage 14 zer storage 15 ticide storage 16 rtight sewer lines Well Disinfected? Yes d? Yes HP	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriologica was submitted  If Yes: Pump Manufacturer's no Depth of Pump Intake	possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hov I sample submitted to Demonth	7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet epartment? Yes day ft. 1 Turbine 3	n 10 Fuel n 11 Fertili 12 Insec 13 Water Water year: Pump Installe Model No	tt., From storage 14 zer storage 15 ticide storage 16 rtight sewer lines Well Disinfected? Yes d? Yes	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriologica was submitted  If Yes: Pump Manufacturer's nonether of Pump Intake  Type of pump: 166 CONTRACTOR'S OR LAN	possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hov I sample submitted to De month mame  Submersible DOWNER'S CERTIFICAT	7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet partment? Yes day ft. 12 Turbine 3 TION: This water well was	n 10 Fuel 11 Fertili 12 Insect 13 Water 10 Water 11 Water 12 Water 13 Water 14 Water 15 Water 16 Water 17 Water 17 Water 17 Water 18 Water	tt., From storage 14 zer storage 15 ticide storage 16 rtight sewer lines Well Disinfected? Yes d? Yes	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriologica was submitted  If Yes: Pump Manufacturer's n Depth of Pump Intake  Type of pump:  CONTRACTOR'S OR LANG	possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy How I sample submitted to De month mame  Submersible DOWNER'S CERTIFICAT	7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet partment? Yes day ft.  2 Turbine 3 TION: This water well was month	n 10 Fuel 11 Fertili 12 Insect 13 Water 10 Water 11 Water 12 Water 13 Water 14 Water 15 Water 16 Water 17 Water 17 Water 17 Water 18 Water	tt., From storage 14 zer storage 15 ticide storage 16 rtight sewer lines Well Disinfected? Yes d? Yes	ft. to
Grouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's in Depth of Pump Intake Type of pump:  16 CONTRACTOR'S OR LANGOMPLET COMPLETED IN THE	possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy How I sample submitted to De month hame  Submersible DOWNER'S CERTIFICAT	7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet epartment? Yes day ft. 2 Turbine 3 TION: This water well was month d belief. Kansas Water We	n 10 Fuel 11 Fertili 12 Insect 13 Water 10 Pump Installe Model No.  Pumps Capacity rated at 19t 12 Cent 15 (1) constructed, (2) rect 17 Pump Installe 18 (1) contractor's License No.	storage 14 zer storage 15 ticide storage 16 rtight sewer lines Well Disinfected? Yes d? Yes HP rifugal 5 Reciprocate on structed, or (3) plugged units	ft. to
Grouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologica was submitted If Yes: Pump Manufacturer's n Depth of Pump Intake Type of pump:  16 CONTRACTOR'S OR LAN completed on and this record is true to the b This Water Well Record was or	possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy How I sample submitted to De month hame  U Submersible DOWNER'S CERTIFICAT  Dest of my knowledge and completed on	7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet partment? Yes day ft. 2 Turbine 3 TION: This water well was month d belief. Kansas Water We	ft. to  10 Fuel  11 Fertili  12 Insect  13 Water  10 Pump Pump Installe  Model No.  Pumps Capacity rated at  Jet 4 Cent  13 Contractor's License Nonth.	tt., From storage 14 zer storage 15 ticide storage 16 rtight sewer lines Well Disinfected? Yes d? Yes HP rifugal 5 Reciprocate onstructed, or (3) plugged under the constructed of	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well	possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hov I sample submitted to Demonth mame I Submersible DOWNER'S CERTIFICAT Dest of my knowledge and completed on	7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet partment? Yes day ft. 2 Turbine 3 TION: This water well was month d belief. Kansas Water We	ft. to  10 Fuel  11 Fertili  12 Insect  13 Water  13 Water  Water  Wear: Pump Installe  Model No.  Pumps Capacity rated at Jet 4 Cent  13 Constructed, (2) rect  2 day  4 Contractor's License Nonth.	ft., From storage 14 zer storage 15 ticide storage 16 rtight sewer lines Well Disinfected? Yes d? Yes HP rifugal 5 Reciprocate tonstructed, or (3) plugged use of the constructed of the	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriological was submitted  If Yes: Pump Manufacturer's in Depth of Pump Intake  Type of pump:  CONTRACTOR'S OR LANGOMINIST COMPLETED TO THE SECOND TO THE SECO	possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hov I sample submitted to Demonth mame  Submersible DOWNER'S CERTIFICAT  Dest of my knowledge and completed on Nor FROM TO	7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet epartment? Yes day ft. 2 Turbine 3 TION: This water well was month d belief. Kansas Water We by	n 10 Fuel 11 Fertili 12 Insect 13 Water 13 Water 14 Water 15 Water 16 Water 17 Water 17 Water 18 Water 18 Water 18 Water 19 Water	tt., From storage 14 zer storage 15 ticide storage 16 rtight sewer lines Well Disinfected? Yes d? Yes HP  rifugal 5 Reciprocate tonstructed, or (3) plugged under the constructed of the constructed	ft. to
Grouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologica was submitted If Yes: Pump Manufacturer's n Depth of Pump Intake Type of pump: CONTRACTOR'S OR LAN completed on and this record is true to the become of Harpers D TOURNEY TO THE CONTRACTOR CONTRA	possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hov I sample submitted to Demonth mame  Submersible DOWNER'S CERTIFICAT Dest of my knowledge and completed on Nor FROM TO	7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet epartment? Yes day ft. 2 Turbine 3 TION: This water well was month d belief. Kansas Water We by LITHOLOGIC	ft. to  10 Fuel  11 Fertili  12 Insect  13 Water  10 Year: Pump Installe  Model No.  Pumps Capacity rated at  Jet 4 Cent  (s) (1) constructed, (2) rect  (s) (1) constructed, (2) rect  (s) (1) constructed, (2) FROM  (s) (signature) (3 SC)  (s) FROM  (s) FRO	tt., From storage 14 zer storage 15 ticide storage 16 rtight sewer lines Well Disinfected? Yes d? Yes	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriological was submitted  If Yes: Pump Manufacturer's in Depth of Pump Intake  Type of pump:  CONTRACTOR'S OR LANGOMPHEED OF THE CONTRACTOR'S OR LANGOMPHEED O	possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hov I sample submitted to Demonth mame  Submersible DOWNER'S CERTIFICATION ON FROM TO N 5	7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet epartment? Yes day ft. 2 Turbine 3 TION: This water well was month d belief. Kansas Water We by LITHOLOGIC	ft. to  10 Fuel  11 Fertili  12 Insect  13 Water  Water  Wear: Pump Installe  Model No.  Pumps Capacity rated at  Jet 4 Cent  (1) Constructed, (2) rect  (2) day  Il Contractor's License Nonth.  (signature)  CLOG FROM  White	tt., From storage 14 zer storage 15 ticide storage 16 rtight sewer lines Well Disinfected? Yes d? Yes	ft. to
Armouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well.  Was a chemical/bacteriological was submitted. If Yes: Pump Manufacturer's note that of Pump Intake.  Type of pump:  CONTRACTOR'S OR LANGE completed on and this record is true to the temp of Harpers Department of Harpers Departmen	possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hov I sample submitted to De month name  Submersible DOWNER'S CERTIFICAT Dest of my knowledge and completed on The Second TO N FROM TO S	7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet partment? Yes day ft. 2 Turbine 3 TION: This water well was month d belief. Kansas Water We by LITHOLOGIC CITY Broke	ft. to  10 Fuel  11 Fertili  12 Insect  13 Water  Water  Wear: Pump Installe  Model No.  Pumps Capacity rated at Jet 4 Cent  (a) (1) constructed, (2) rect  (b) (2) day  Ill Contractor's License Nonth.  (signature)  (c) LOG FROM  White	tt., From storage 14 zer storage 15 ticide storage 16 rtight sewer lines Well Disinfected? Yes d? Yes	ft. to
Arrowled Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well.  Was a chemical/bacteriological was submitted. If Yes: Pump Manufacturer's note that of Pump Intake.  Type of pump: CONTRACTOR'S OR LANGE completed on and this record is true to the bacteriological was a completed.  This Water Well Record was compared of Harpers December 1 Contract Con	possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy  I sample submitted to De  month  mame  DOWNER'S CERTIFICAT  poest of my knowledge and completed on  The SCT K  ON FROM TO  N 0 5  10 15	7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet partment? Yes day ft. 2 Turbine 3 TION: This water well was month d belief. Kansas Water We by LITHOLOGIC CITY Broke	ft. to  10 Fuel  11 Fertili  12 Insect  13 Water  Water  Wear: Pump Installe  Model No.  Pumps Capacity rated at  Jet 4 Cent  (1) Constructed, (2) rect  (2) day  Il Contractor's License Nonth.  (signature)  CLOG FROM  White	tt., From storage 14 zer storage 15 ticide storage 16 rtight sewer lines Well Disinfected? Yes d? Yes	ft. to
Grouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's in Depth of Pump Intake Type of pump:  GONTRACTOR'S OR LANGE CONTRACTOR'S OR LANGE CONTRACTOR'S OR LANGE COMPLETE OR LANGE CONTRACTOR'S OR LANGE COMPLETE OR LANGE CONTRACTOR'S OR LANGE COMPLETE OR LANGE CONTRACTOR'S OR LANGE CONTRACTOR'	possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy How I sample submitted to Demonth and ame  Submersible DOWNER'S CERTIFICATE  Dest of my knowledge and completed on the completed on	7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet epartment? Yes day ft. 2 Turbine 3 TION: This water well was month d belief. Kansas Water We moi by LITHOLOGIC CIZV Brok	ft. to  10 Fuel  11 Fertili  12 Insect  13 Water  Water  Wear: Pump Installe  Model No.  Pumps Capacity rated at  Jet 4 Cent  (1) Constructed, (2) rect  (2) day  Il Contractor's License Nonth.  (signature)  CLOG FROM  White	tt., From storage 14 zer storage 15 ticide storage 16 rtight sewer lines Well Disinfected? Yes d? Yes	ft. to
Grouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologica was submitted If Yes: Pump Manufacturer's n Depth of Pump Intake Type of pump: CONTRACTOR'S OR LAN completed on and this record is true to the becompanion of the personal of the persona	possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy How I sample submitted to Demonth and ame  Submersible DOWNER'S CERTIFICATE  Dest of my knowledge and completed on the completed on	7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet epartment? Yes day ft. 2 Turbine 3 TION: This water well was month d belief. Kansas Water We moi by LITHOLOGIC CIZV Brok	ft. to  10 Fuel  11 Fertili  12 Insect  13 Water  10 Year: Pump Installe  Model No.  Pumps Capacity rated at  Jet 4 Cent  (a) (1) constructed, (2) rect  (b) (2) day  Ill Contractor's License Nonth  (signature)  (signature)  (b) (c) FROM  (c)	tt., From storage 14 zer storage 15 ticide storage 16 rtight sewer lines Well Disinfected? Yes d? Yes	ft. to
Grouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologica was submitted If Yes: Pump Manufacturer's in Depth of Pump Intake Type of pump: 6 CONTRACTOR'S OR LAN completed on and this record is true to the become of the personal of the personal complete on the complete of the personal complete on the complete of the personal complete of the	possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hov I sample submitted to Demonth mame  I Submersible DOWNER'S CERTIFICAT  Dest of my knowledge and completed on The SCT K  ON FROM TO	7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet partment? Yes day ft. 2 Turbine 3 TION: This water well was month d belief. Kansas Water We LITHOLOGIC Clay Brok Lime Rock Clay Brow to yello	ft. to  10 Fuel  11 Fertili  12 Insect  13 Water  10 Year: Pump Installe  Model No  Pumps Capacity rated at  Jet 4 Cent  3 (1) constructed, (2) rect  4 Contractor's License Nonth  (signature) 7 Section 1	tt., From storage 14 zer storage 15 ticide storage 16 rtight sewer lines Well Disinfected? Yes d? Yes	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriologica was submitted  If Yes: Pump Manufacturer's not pepth of Pump Intake  Type of pump:  GONTRACTOR'S OR LANG completed on and this record is true to the best of the person of th	possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hov I sample submitted to Demonth mame  I Submersible DOWNER'S CERTIFICAT  Dest of my knowledge and completed on The SCT K  ON FROM TO 15 15 20 20 30 30 35 45	7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet partment? Yes day ft. 2 Turbine 3 TION: This water well was month d belief. Kansas Water We LITHOLOGIC Clay Broke Lithe Rock Lithe Lithe Rock Lithe Rock Lithe Lithe Rock Lith	ft. to  10 Fuel  11 Fertili  12 Insect  13 Water  100 ? Water  Wear: Pump Installe  Model No.  Pumps Capacity rated at  Jet 4 Cent  (s) (1) constructed, (2) rect  (s) (1) constructed, (2) rect  (s) (2 day  Ill Contractor's License Nonth  (signature) (5 5 5 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7	tt., From storage 14 zer storage 15 ticide storage 16 rtight sewer lines Well Disinfected? Yes d? Yes	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriologica was submitted  If Yes: Pump Manufacturer's in Depth of Pump Intake  Type of pump:  CONTRACTOR'S OR LANGOMPHER CONTRACTOR'S OR	possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hov I sample submitted to Demonth mame  I Submersible DOWNER'S CERTIFICAT  Dest of my knowledge and completed on The SCT K  ON FROM TO	7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet partment? Yes day ft. 2 Turbine 3 TION: This water well was month d belief. Kansas Water We month LITHOLOGIC Clay Brok Lime Rock Clay Brok Lime Rock	ft. to  10 Fuel  11 Fertili  12 Insect  13 Water  100 ? Water  Water  Wear: Pump Installe  Model No.  Pumps Capacity rated at  Jet 4 Cent  (1) constructed, (2) rect  (2) day  Il Contractor's License Nonth  (signature)  (signature)  (by 10 White  (contractor's License Nonth  (signature)  (contractor's License Nonth  (signature)  (contractor's License Nonth  (cont	tt., From storage 14 zer storage 15 ticide storage 16 rtight sewer lines Well Disinfected? Yes d? Yes	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriological was submitted  If Yes: Pump Manufacturer's in Depth of Pump Intake  Type of pump:  GONTRACTOR'S OR LANGE CONTRACTOR'S OR LANGE CONTRACTOR'S OR LANGE COMPLETED TO THE COMPLETED TO TH	possible contamination:  4 Cess pool  5 Seepage pit  6 Pit privy  Hove the privit of t	7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet partment? Yes day ft. 2 Turbine 3 TION: This water well was month d belief. Kansas Water We LITHOLOGIC Clay Broke Lithe Rock Lithe Lithe Rock Lithe Rock Lithe Lithe Rock Lith	ft. to  10 Fuel  11 Fertili  12 Insect  13 Water  100 ? Water  Wear: Pump Installe  Model No.  Pumps Capacity rated at  Jet 4 Cent  (s) (1) constructed, (2) rect  (s) (1) constructed, (2) rect  (s) (2 day  Ill Contractor's License Nonth  (signature) (5 5 5 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7	tt., From storage 14 zer storage 15 ticide storage 16 rtight sewer lines Well Disinfected? Yes d? Yes	ft. to