## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Location of well:	Pile V	Fraction W 1/4 0 5 E	F 1/4	Section i		Township number  T \$ \$76 s R \$ \$ 6 E/W	
2. Distance and direc	ction from nearest town or city:		3. Owner			mold O. Shultz	
Street address of well	localin if in city:	lolph, Ks.	R.R.			andolph ITS. 66 Fift	
4. Locate with "X" i		Sketch map:	City, sid	10, 21p c	/\	6. Bore hole dia in. Completion date	
N		•				Well depth 125 ft. July 3-39	
NW	NE	•		•		7. X Cable tool Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary	
	1/2					8. Use: X Domestic Public supply Industry	
- 1 Wije	X   E ,					Irrigotion Air conditioning Stock Lawn Oil field water Other	
SW	SE					9. Casing: Moterial PST Height: Above or below	
<u>†                                    </u>						Threaded Welde	
1 1 M	ile ————————————————————————————————————					Dia. 5 in. to 22 ft. depth Wall Thickness; inches or Dia. in. to ft. depth gage No. 2015	
5. Type and color of	material			From	То	10. Screen: Manufacturer's name	
Dirt Bla	ick With Gr	avel		0	/	Type PIC Dia. 5"	
j ,	Pock White	•		1	15	Slot/gauze Length 20 Set between ft.	
1/24	1/2//24/			15	25	ft. andft.  Gravel pack? Yes Size range of material for the first state of the firs	
Clay	Durallista	)		15	40	11. Static water level: mo./day/yr.	
Lime /	POCI WHITE	4 /		<u> </u>	10	95 ft. below lond surface Date 7-3-79	
Clay B	rown WITH	Grave!		40	75	12. Pumping level below land surfaces: ft. after hrs. pumping g.p.m.	
Vimes	Pock Yella	w		45	50	Estimated maximum yieldg.p.m.	
Shale	Brown			50	70	13. Water sample submitted: mo./day/yr.	
10	Blzie			70	85	Yes No Date  14. Well head completion:	
1 im p	Rock Wt	ite		85	95	Pitless adapter Inches above grade	
d harles	Dung	•		95	105	With: Neat cement Bentonite Concrete	
Spale	Brown	. W:+1 II: +2	2/2.0	105	1	Depth: From ft. to ft.  16. Nearest source of possible contamination:	1
Ulme	710011 1718	y Withtlint-E	140		<b>*</b>	ft Direction Type	
Shale	BIVE			16	125	Well disinfected upon completion? Yes No  17. Pump: Not installed	,
ja-s					ļ	Manufacturer's name HP Valts	10
,						Length of drop pipe ft. capacityg.p.m.	<b>₹</b> (-
,	,			•		Type: Submersible Turbine	1
	(1)	nd sheet if needed)				Jet Reciprocating Centrifugal Other	M
18. Elevation:		nt Sabto	bePs	ur.	<u> </u>	20. Water well contractor's certification: This well was drilled under my jurisdiction and this report	6
Tanamatus	browns		. 0	•		is true to the best of my knowledge and belief.	12
Topography: _XHill		<b>.</b>			/	Bushess name Russe No.	1
Slope Upland			 			Signat 2 1 Carper 1-3-19	
Valley			- <del>/</del>			Approvized epresentative	:1 7