

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Riley	SW 1/4 SE 1/4 NW 1/4	30	T 6 S	R 7 (B/W)

Distance and direction from nearest town or city street address of well if located within city?

5 1/2 North of Randolph, 3 1/4 East & 1/2 South

2 WATER WELL OWNER: Leon Schultes	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # : Box 138	Application Number:
City, State, ZIP Code : Randolph, KS 66554	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 30 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 46 ft. below land surface measured on mo/day/yr 12/16/04 ft. Pump test data: Well water was ft. after hours pumping gpm Est. Yield 15 gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well
	Was a chemical/bacteriological sample submitted to Department? Yes No * Water Well Disinfected? Yes * No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued *..... Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	10 Asbestos-Cement
Blank casing diameter 5 in. to 62 ft., Dia in. to ft., Dia in. to ft.			11 Other (Specify)
Casing height above land surface 18 in., weight 200 lbs./ft. Wall thickness or guage No. 265			12 None used (open hole)
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC	
1 Steel	3 Stainless Steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized Steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:		5 Guazed wrapped	
1 Continuous slot	3 Mill slot	6 Wire wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	7 Torch cut	9 Drilled holes
SCREEN-PERFORATED INTERVALS: From 62 ft. to 82 ft., From ft. to ft.		10 Other (specify) ft.	
GRAVEL PACK INTERVALS: From 25 ft. to 82 ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 <u>Bentonite</u>	4 Other
Grout Intervals: From 5 ft. to 25 ft., From ft. to ft., From ft. to ft.				
What is the nearest source of possible contamination:		10 Livestock pens		
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	14 <u>Abandoned water well</u>
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	16 Other (specify below)
Direction from well? East		How many feet? 15		

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	4	Brown Clay			
4	16	Yellow Shale & Limestone			
16	19	Red Shale			
19	44	Yellow Shale & Limestone			
44	58	Gray Shale			
58	63	Limestone			
63	73	Gray Shale			
73	75	Limestone			
75	82	Gray Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12/16/04 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 518 This Water Well Record was completed on (mo/day/yr) 12/24/04 under the business name of Blue Valley Drilling by (signature) <i>Eric Smith</i>	
---	--