KOLAR Document ID: 1526112

	WELL R			WWC-5		ision of Wat			Well ID		
	Original Record Correction Change in Well Use LOCATION OF WATER WELL: Fraction					Resources App. No. Well ID Section Number Township Number Range Number			ge Number		
County: 1/4 1/4 1/4											
2 WELL OWNER: Last Name: First: S Business: Address:						treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:					
Address: City: State: ZIP:											
3 LOCATE WELL											
	4 DEPTH OF COMPLETED WELL: SECTION BOX. Depth(s) Groundwater Encountered: 1)										
	SECTION BOX: N $(2) \dots ft. 3) \dots ft. or 4) \square$										
r I	N	WELL'S STATIC WATER LEVEL:					Source for Latitude/Longitude:				
				yr)		GPS (unit make/model:)					
X NW	NE		yr)		(WAAS enabled? Yes No)						
	E	Pump test d	hours			□ Land Survey □ Topographic Map □ Online Mapper:					
W		unter	Well v								
SW	SE	after hours pumping gp			gpm						
	~	Estimated Y		6 1	6 Elevation:ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map						
	S nilel	Bore Hole Diameter: in. to									
Image:											
1. Domestic: 5. □ Public Water Supply: well ID 10. □ Oil Field Water Supply: lease											
☐ Housel	☐ Household 6. ☐ Dewatering: how many wells?						11. Test Hole: well ID				
_	Lawn & Garden 7. Aquifer Recharge: well ID						Cased Uncased Geotechnical				
	Livestock 8. Monitoring: well ID							I: how many bores			
2. ☐ Irrigati 3. ☐ Feedlo	2. □ Irrigation 9. Environmental Remediation: well ID. 3. □ Feedlot □ Air Sparge □ Soil Vapor Ex					a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water					
4. Industrial Recovery Injection					Anderion	13. Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? \square Yes \square No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
Steel Steinless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)											
	Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft., From ft., From ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other ft. From											
				potential source of cont			1				
Septic '	Tank		Lateral Line	es 🗌 Pit Privy		Livestock P		Insectic	ide Storage		
			Cess Pool	Sewage Lag	goon 🗌	Fuel Storage		Abando		Well	
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)											
Direction from well? ft.											
10 FROM	TO		ITHOLO		FROM	ТО		HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
							ļ				
					+						
					Notes:		1				
11 CONT	11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)										
under my ju	urisdiction an	d was compl	eted on (n	no-day-year) 	tor Wall D	this record	is tru	e to the best of my	y knowled	ge and belief.	
under the b	usiness name	uactor s Lice	-11se 1NO	This wa	ter well Kec	oru was co	mpiet	teu on (mo-day-ye	ar)	••••••	
		Send one copy to) WATER W	'ELL OWNER and retain o	one for your reco	ords. Fee of \$	5.00 fo	or each <u>constructed</u> we	11.		
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										
Visit us at h	ttp://www.kdhel	<u>ks.gov/waterwel</u>	<u>I/1ndex.html</u>						KS	SA 82a-1212	