

1 LOCATION OF WATER WELL  
 County: W. POTAWATOMIE Fraction SW 1/4 SW 1/4 SW 1/4 Section Number 29 Township Number T 78 Range Number R 10 EW  
 Distance and direction from nearest town or city: 5 1/2 S 3.2 E OF WHEATON Street address of well if located within city?


2 WATER WELL OWNER: NORMAN BOSSE  
 RR#, St. Address, Box #: RAI Westmoreland 66549 Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: Application Number:

3 DEPTH OF COMPLETED WELL: 160 ft. Bore Hole Diameter: 8 in. to ... ft. and ... in. to ... ft.  
 Well Water to be used as:  
 1 Domestic 3 Feedlot 6 Oil field water supply 8 Air conditioning 11 Injection well  
 2 Irrigation 4 Industrial 7 Lawn and garden only 9 Dewatering 12 Other (Specify below)  
 10 Observation well  
 Well's static water level: 35 ft. below land surface measured on MAY month 6 day 81 year  
 Pump Test Data: Well water was ... ft. after ... hours pumping ... gpm  
 Est. Yield 20 gpm: Well water was ... ft. after ... hours pumping ... gpm

4 TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued  Clamped  
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded  
 7 Fiberglass Threaded  
 Blank casing dia 5 in. to 0-130 ft., Dia ... in. to ... ft., Dia ... in. to ... ft.  
 Casing height above land surface: 24 in., weight 2.86 lbs./ft. Wall thickness or gauge No. 258  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement  
 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)  
 9 ABS 12 None used (open hole)  
 Screen or Perforation Openings Are:  
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 7 Torch cut 10 Other (specify)  
 Screen-Perforation Dia: 5 in. to ... ft., Dia ... in. to ... ft., Dia ... in. to ... ft.  
 Screen-Perforated Intervals: From 130 ft. to 160 ft., From ... ft. to ... ft., From ... ft. to ... ft.  
 Gravel Pack Intervals: From 10 ft. to 160 ft., From ... ft. to ... ft., From ... ft. to ... ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  
 Grouted Intervals: From 0 ft. to 10 ft., From ... ft. to ... ft., From ... ft. to ... ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well  
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well  
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below)  
 13 Watertight sewer lines  
 Direction from well: N How many feet: 90? Water Well Disinfected? Yes  No  
 Was a chemical/bacteriological sample submitted to Department? Yes No  If yes, date sample was submitted ... month ... day ... year: Pump Installed? Yes No   
 If Yes: Pump Manufacturer's name ... Model No. ... HP ... Volts  
 Depth of Pump Intake ... ft. Pumps Capacity rated at ... gal./min.  
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on MAY month 6 day 1981 year and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 182  
 This Water Well Record was completed on MAY month 12 day 1981 year under the business name of STRADER DRUG CO INC by (signature) Dale Osborn

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	4	TOP SOIL			
4	22	Clay brown			
22	78	shale, grey			
78	81	Limestone, grey			
81	138	shale, grey			
138	152	SANDSTONE			
152	160	Shale, grey			

  
 ELEVATION:

Depth(s) Groundwater Encountered 1. 138 ft. 2. ... ft. 3. ... ft. 4. ... ft. (Use a second sheet if needed)