			WAT	ER WELL RECORD	Form WWC-5	KSA 82a	-1212		
LOCATION (Fraction			tion Number	Township Number	Range Number	
ounty: POT			SW 1		SW 1/4	22	T 7 S	R 12 E/W	
Distance and d	lirection	from nearest to	wn or city street	address of well if locat	ed within city?				
6 mil	es s	outh, $\frac{1}{2}$	mile eas	t of Havensy	/ille				
			Richard						
		# :Route					Board of Agriculture	e, Division of Water Resource	
			sville,	KS 66432			Application Numbe		
LOCATE WE	FIL'S LO	OCATION WITH	DEDTH OF	COMPLETED WELL	70'	# ELEVA	TIONI		
AN "X" IN S	ECTION	BOX:	Denth(s) Consu	COMPLETED WELL.		II. ELEVA	11ON:		
		' 	Depth(s) Groun	owater Encountered	35		2	. 3	
	1 1	1 1						yr .9-2-92	
N	w	NE	Est. Yield 10	np test data: Well wa 1.2. gpm: Well wa	ter was ter was	ft. a	fter hours	pumping gpr pumping gpr .in. to	
			Bore Hole Dian	neter 8 in. to	70.		and	.in. to	
w —	1	,		TO BE USED AS:	5 Public water			1 Injection well	
' l .	<u>.</u> 1	1	1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering 1	2 Other (Specify below)	
2	w	2F	2 Irrigation	 4 Industrial	7 Lawn and g	arden only	10 Monitoring well,		
*	: 1	- i I						es, mo/day/yr sample was su	
	' 		mitted	bactoriological campio	oub, miles to b	•	ter Well Disinfected? Yes	_	
TYPE OF B	I ANK C	ASING USED:	mitted	5 Wrought iron	8 Concre			ued * Clamped	
,	LAINK C		·D/	J					
1 Steel		3 RMP (S	oH)	6 Asbestos-Cement		(specify below		elded	
2 PVC		4 ABS	. 20	7 Fiberglass				readed	
								in. to fr	
				in., weight 4.00.		Ibs./	ft. Wall thickness or gauge	No	
YPE OF SCREEN OR PERFORATION MATERIAL:					7 PVC 10 Asbestos-cement				
1 Steel 3 Stainless steel 5 Fiberglass				5 Fiberglass	8 RMP (SR) 11 O		11 Other (speci	Other (specify)	
				6 Concrete tile	9 AB	S	12 None used	open hole)	
					zed wrapped 8 Saw cut		8 Saw cut	11 None (open hole)	
1 Continu			Mill slot		wrapped		9 Drilled holes	,,,,,,	
2 Louvere		_	(ey punched	7 Toro					
		D INTERVALS:	From	50 # 15	70	# From	m fi	. tofi	
								. toft	
GRAV	VEL PAC	CK INTERVALS:	: From	3.0 ft. to .	7.0	ft., Froi	m f	. tof	
			From	ft. to		ft., Fro	m ff	. to f	
GROUT MA	TERIAL	: 1 Neat	cement	2 Cement grout	3 Bento	nite 4	Other		
rout Intervals:	Fron	n Q	.ft. to 20				ft From	ft. to	
								Abandoned water well	
Vhat is the nearest source of possible contamination									
1 Septic tank 4 Lateral lines				7 Pit privy					
2 Sewer lines 5 Cess pool		•	8 Sewage lagoon		12 Fertilizer storage		• • • •		
3 Watertight sewer lines 6 Seepage pit			page pit	9 Feedyard		13 Insecticide storage How many feet?			
irection from		SE				1.011.1101			
	TO		LITHOLOGIC	LOG	FROM	ТО	PLUGGING	S INTERVALS	
0	_ 5	Tops 1							
5	10	Yellow					AU A		
10	11	Limesto	ne						
11	14	Gray sh	ale						
14									
16									
20					1				
1	1				I				
22		Tan Shale Gray Shale							
27	1	_							
32				hale	1				
40									
45	54	Red Sha	le						
54							· .		
				-					
	- 1					į l			
CONTRACT	OR'S O	R LANDOWNE	R'S CERTIFICAT	ION: This water well a	was (1) constru	cted (2) reco	nstructed or (3) plugged i	inder my jurisdiction and wa	
mpleted on (r	mo/day/y	year) 9 .– 2 .–	9.2			and this reco	rd is true to the best of my	knowledge and belief. Kansa	
empleted on (rater Well Con	mo/day/y	year) 9.– 2.– s License No	92 518		Well Record wa	and this reco			