				R WELL RECORD	Form WWC-5					
1 LOCATION County:	ON OF WAT JACKSO	ER WELL: N	Fraction NE 1/2	4 NW 1/4 SW		tion Number 2	Township Nun	nber S	Range Number R 14 E/W	
		from nearest tov	νη or city street a	address of well if locate the of Holton			· · · · · · · · · · · · · · · · · · ·	_ J _ L	.1 22 6/44	
2 WATER	R WELL OW		l Longren			7/1				
_			8 Hiway K-	.16			Board of Ag	ricultura Div	ision of Water Resource	
RR#, St. Address, Box # : 9048 Hiway K-16 City, State, ZIP Code : Holton, KS 66436						Board of Agriculture, Division of Water Resources Application Number:				
					73!	4 FLEVA				
AN "X"	IN SECTION	N BOX: Ι	Depth(s) Ground	dwater Encountered	1	ft. 2	<i></i>	ft. 3		
ī ſ	ı	·	WELL'S STATION	WATER LEVEL	23! ft. b	elow land surf	ace measured on n	no/day/yr	11/19/97	
	1	<u>.</u>							ping gpm	
	NW	NE							ping gpm	
	i		Bore Hole Diam	neter 12" in. to	) <i></i>		and	in. 1	o	
M: M -	X,	1	l	TO BE USED AS:			8 Air conditioning			
- I		1	1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12 O	ther (Specify below)	
-	·- SW	SE	2 Irrigation	4 Industrial	7 Lawn and g	arden only 1	0 Monitoring well .			
1 1	- i		Was a chemical	/bacteriological sample	-	-			no/day/yr sample was sub	
ĭ	S		mitted				ter Well Disinfected		•	
5 TYPE (	OF BLANK C	ASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JOIN	TS: Glued	X Clamped	
1 Ste	eel	3 RMP (S	R)	6 Asbestos-Cement	9 Other	(specify below	<i>(</i> )	Welded	1 <i></i>	
2 PV	/C	4 ABS		7 Fiberglass				Thread	ed	
Blank casi	ng diameter		.in. to0 <del></del> 63.						. to ft.	
									258	
TYPE OF	SCREEN O	R PERFORATIO	N MATERIAL:	-	7 PV	С	10 Asbe	stos-cemen	t	
1 Sto	eel	3 Stainless	s steel	5 Fiberglass	8 RM	8 RMP (SR) 11		Other (specify)		
2 Br	ass	4 Galvaniz	zed steel	6 Concrete tile 9 ABS		. ,	12 None	used (oper	n hole)	
SCREEN	OR PERFOR	RATION OPENIN	IGS ARE:	5 Gauzed wrapped			8 Saw cut 11 None (open hole)			
1 Cc	ontinuous slo	t 3 M	fill slot	6 Wire wrapped			9 Drilled holes			
2 Lo	uvered shutt	er 4 K	ey punched	7 Toro	h cut		10 Other (specify)			
SCREEN-	PERFORATI	ED INTERVALS:	From	3 ft. to	73	ft., Fror	n	ft. to		
			From	ft. to		ft., Fror	n	ft. to		
(	GRAVEL PA	CK INTERVALS:	From	24 ft. to	73	ft., Fror	m	ft. to		
			From	ft. to		ft., Fror	n	ft. to	ft	
	T MATERIAL			2 Cement grout						
Grout Inte	rvals: Fro	m4	.ft. to 24	ft., From	ft.	to	ft., From		ft. to	
What is the nearest source of possible contaminat						10 Livestock pens		14 Abandoned water well		
1 Septic tank 4 Lateral			ral lines	lines 7 Pit privy		11 Fuel storage		15 Oil well/Gas well		
2 Sewer lines 5 Cess			s pool	ool 8 Sewage lago		12 Fertilizer storage		16 Other (specify below)		
3 Watertight sewer lines 6 Seepa			page pit	e pit 9 Feedyard		13 Insecticide storage				
	from well?	eas					ny feet? 300 '			
FROM	TO		LITHOLOGIC	LOG	FROM	ТО	PLU	IGGING IN	IERVALS	
0	1	Top Soi								
1 1	43	Clay-Br		- 1701.2						
43	65	Clay-Bl		7 7 /4 7 /0						
65	70			avel $1/4x1/2$						
70	73	Clay-Bl	Lue							
						-				
					-					
									797	
						-				
					- Northern					
h										
									r my jurisdiction and was	
completed										
									wledge and belief. Kansa:	
Water We	II Contractor	's License No	. 182	This Water		s completed	on (mo/day/ʃ/ɪj) 🏸 🧸		9.7	