WATE	R WELI	RECORD	Form WWC-	5	Division	n of Water	Resources; Ap	<sub>pp. No.</sub> L		
1 LOC	ATION C	F WATER WELL:	Fraction		Section N	umber	Township N	umber	Range Number	
Coun	ty: Ja	ckson	SW 1/4 NE 1/4 SI	E 1/4	5		T 7 S		R 14E E/W	
		rection from nearest town or city	y street address of we	Global Positioning Systems (decimal degrees, min. of 4 digits)						
	ed within c			Latitude:						
	miles west of Holton					Longitude:				
	WATER WELL OWNER: Dave Askren RR#, St. Address, Box # : 31539 R Rd				Elevation:					
		SS, BOX# : 31539 R F Code : Netawaka,			Datum:					
					Data Coll		Method:			
	ATE WE	LL'S 4 DEPTH OF COMP	4 DEPTH OF COMPLETED WELL15.0 ft.							
	'ATION H AN "X'	IN Denth(s) Groundwater l	Depth(s) Groundwater Encountered (1)							
	TION BO	WEI I'S STATIC WAY	WELL'S STATIC WATER LEVEL7.1							
SEC	N		Pump test data: Well water wasft. afterhours pumpinggpm							
		Est. Yield50gpm: Well water was								
'	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
w NV	NWNE E   Domestic   3 Feedlot   6 Oil field water supply   9 Dewatering   12 Other (Specify below)   1 Vestock   1 Domestic   3 Feedlot   7 Democracy (Learning of Specify below)   1 Vestock   1 Vestock									
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well										
sw	sw s <del>k</del>									
Sample was submitted										
S										
1	E OF CAS	ING USED: 5 Wrought In	on 8 Conci	rete tile		CASINO	3 JOINTS: G	ued	X Clamped	
		3 RMP (SR) 6 Asbestos-0	Cement 9 Other	(specify	below)		W	elded		
Plank as		4 ABS 7 Fiberglass	ft Diameter				II	ireaded	in to A	
Blank casing diameter										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)										
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)										
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)										
SCREEN-PERFORATED INTERVALS: From 1.1.5 ft. to 1.30 ft., From ft. to ft.										
From										
GRAVEL PACK INTERVALS: From										
rioni										
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other										
Grout Intervals: From 0 ft. to										
What is the nearest source of possible contamination:										
								16 Other (specify		
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well open fiel								pen field		
1	_	sewer lines 6 Seepage pit 9			_		well/gas well	-		
FROM	TO	LITHOLOGIC		FROM	TO		PLUGGIN			
0	1	top soil	200	113	119	grev	sandy		21.11110	
1	3	brown clay		119	127				d small pea	
3	5	red clay			1.27		y clay s			
5	38	tan yellow clay		127	130		shale	<i></i>		
38	41	tan/yellow sandy o	clay	130	132	gyp				
41	42	very fine sand bro								
42	44	grey clay		132	143	grey	shale			
44		tan grey clay		143	145		limesto	one		
53	95	blue clay		145	150		shale			
95	113	grey clay				_				
7 CONT	RACTO	R'S OR LANDOWNER'S CE								
		on and was completed on (mo/d								
Kansas Water Well Contractor's License No.1.82 This Water Well Record was completed on (mo/day/year) 1-24-0.7										
		name of Strader Drill			(signatur			لهمه	2	
		e typewriter or ball point pen. <u>PLEAS</u> Department of Health and Environment								
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at										
http://www.kdhe.state.ks.us/geo/waterwells.										