			WATE	ER WELL RECORD	Form WWC-5	KSA 82a	-1212		
LOCATI	ON OF WAT	TER WELL:	Fraction		Sec	tion Number	Township Number	Range Number	
County:	Jacks	o n	L NE 1/4	4 SE 1/4 SW	1/4	3	T 7 S	R15 (E)W	
				address of well if locate	ed within city?				
6th	Stroot an	aus Highwa	ay 75, Holton,	Ks. 66436				ļ	
		NER: Knotty		10: 00100					
				A. 7E			Decard of Apple of them	Division of Mater Barrey	
			reet & U.S. Hw	vy. 75			•	Division of Water Resources	
City, State	, ZIP Code	: HOITON,	Ks. 66436		1/		Application Number:		
LOCATI	E WELL'S L	OCATION WITH	4 DEPTH OF (COMPLETED WELL	14	ft. ELEVA	TION:		
VIA V	IN SECTION	N BOX:	Depth(s) Ground	dwater Encountered	1	ft. 2	2 ft. :	3	
īΓ	1	1	WELL'S STATIC	WATER LEVEL	999 ft. b	elow land sur	face measured on mo/day/yr	•	
	Pump test data. Well water was the after hours numping gom								
-	NW NE Est. Yield gpm: Well water was ft. after hours pumping gpm								
<u>'</u>	1 1 1 1 7 7/0								
- W									
_			WELL WATER	TO BE USED AS:	5 Public water		• •	Injection well	
ī L	_ sw	(5	1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering 12	Other (Specify below)	
⁻	`- ''' -×	32	2 Irrigation	4 Industrial	7 Lawn and g	arden only (Monitoring well		
1		i	Was a chemical	bacteriological sample				s, mo/day/yr sample was sub-	
ľ			mitted				ter Well Disinfected? Yes	No 🗸	
TYPE	DE BI ANK (CASING USED:	, , , , , , , , , , , , , , , , , , , ,	5 Wrought iron	8 Concre			ed Clamped	
				-				·	
1 St		3 RMP (S	н)	6 Asbestos-Cement		(specify below		ded	
(2) P\		4 ABS	_	7 Fiberglass				aded	
Blank casi	ng diameter	2	.in. to 4	ft., Dia	in. to		ft., Dia	in. to ft.	
Casing he	ight above la	and surface	0	in weight			ft. Wall thickness or gauge N	vo Sch., 40	
		R PERFORATIO		,	(7)PV		10 Asbestos-cem		
				5 Fiberglass					
					8 RMP (SR)		11 Other (specify)		
2 Brass 4 Galvanized steel 6 Concrete					9 ABS		12 None used (o	,	
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped							8 Saw cut	11 None (open hole)	
1 Co	ntinuous slo	ot (3)N	fill slot	6 Wire	wrapped		9 Drilled holes		
2 Lo	uvered shut	ter 4 K	key punched	7 Torc			10 Other (specify)		
SCREEN-PERFORATED INTERVALS: From									
From									
	SDAVEL DA	CK INTERVALS:					m		
•	ALIAVEE I A	OK HATEHVALO.							
0001		4 11 - 1	From	ft. to	(O- :	ft., Fron		to ft.	
_	MATERIAL	.: 1 Neat	cement	(2)Cement grout	(3)Bento	nite 4	Other		
Grout Inte	rvals: From	m	.ft. to 4 .	ft., From A	ft.	to3	ft., From	ft. toft.	
What is th	e nearest so	ource of possible	contamination:			10 Livestock pens 14 Abandoned water well		Abandoned water well	
1 Se	ptic tank	4 Later	ral lines	7 Pit privy		11 Fuel :	storage 15 (Dil well/Gas well	
2 Sewer lines 5 Cess			s pool	8 Sewage lagoon		12 Fertili	zer storage 16 (Other (specify below)	
			•	9 Feedyard		40 Januarilatela atauana			
3 Watertight sewer lines 6 Seepage pit				9 reedyard		How many feet? 90			
	rom well? W	est	1.171.101.0016				ly leet:	NITED (ALC	
FROM	то	DDOLL CTUTY	LITHOLOGIC	LOG	FROM	то	PLUGGING	INTERVALS	
0	14	BROWN SILTY	CLAY				Mw4		
							FLUSH MOUNT		
								TO COMPANY AND ADDRESS OF THE PARTY OF THE P	
						1			
							-		
						 			
·									
								·	
CONT	DACTORIC	OD LANDOME	DIC CERTIFICAT	ION: This		<u>-</u>			
			07-17-93					der my jurisdiction and was	
	on (mo/day							nowledge and belief. Kansas	
				This Water \	Well Record wa	-	' 1' A // //	93	
under the business name of GeoCore Services, Inc. by (signature) Lale Voll									