

1	LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County:	Atchison	NE $\frac{1}{4}$ SW $\frac{1}{4}$ NW $\frac{1}{4}$	12	T 7 S	R 17E E/W

Distance and direction from nearest town or city street address of well if located within city?
~~XXXXXX~~ 3 miles East and $\frac{1}{4}$ mile South of Arrington

2	WATER WELL OWNER:	Wayne Banks	
	RR#, St. Address, Box # :	3982 Highway 116	Board of Agriculture, Division of Water Resources
	City, State, ZIP Code :	Holton, Kansas 66436	Application Number:

3	LOCATE WELL'S LOCATION WITH	4	DEPTH OF COMPLETED WELL <u>60</u> ft. ELEVATION:
---	-----------------------------	---	--

AN "X" IN SECTION BOX:

Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL 1 ft. below land surface measured on mo/day/yr 8-19-05

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield 2 gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS:

1 Domestic	3 Feedlot	5 Public water supply	8 Air conditioning	11 Injection well
2 Irrigation	4 Industrial	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
		7 Domestic (lawn & garden)	10 Monitoring well	

Was a chemical/bacteriological sample submitted to Department? Yes No **X**..; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes **X** No

5 TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped	
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded	
2 <u>PVC</u>	4 ABS	7 Fiberglass		Threaded	
Blank casing diameter 5 in. to ft., Dia	 in. to ft., Dia	 in. to ft.	
Casing height above land surface 24 in., weight		2.82 lbs./ft. Wall thickness or guage No. 258			
TYPE OF SCREEN OR PERFORATION MATERIAL:			7 PVC	10 Asbestos-Cement	
1 Steel	3 Stainless Steel	5 Fiberglass	8 RMP (SR)	11 Other (Specify)	
2 Brass	4 Galvanized Steel	6 Concrete tile	9 ABS	12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:		5 Guazed wrapped	8 Saw cut	11 None (open hole)	
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes		
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)	ft.	
SCREEN-PERFORATED INTERVALS:		From 26 ft. to 36 ft., From 55 ft. to 60 ft.			
		From ft. to ft., From ft. to ft.			
GRAVEL PACK INTERVALS:		From 22 ft. to 60 ft., From ft. to ft.			
		From ft. to ft., From ft. to ft.			

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other.....
Grout Intervals: From 0 ft. to 22 ft., From ft. to ft., From ft. to ft.
What is the nearest source of possible contamination:
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
ditch
Direction from well? West How many feet? 75'

[illegible]

7. CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-19-05 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 182 This Water Well Record was completed on (mo/day/yr) 9-27-05 under the business name of Strader Drilling Co., Inc. by (signature) [Signature]