33	,, b.		1_0
USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY,	Arriv .	No Ch cheel	
PRINT CLEARLY. WATER WELL REC KSA 82a-1201-13	OKD .	Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620	
1. Location of well:  County  Fraction  SE  SE  SE  SE  SE  SE  SE  SE  SE  S	Section number	Township number  Range number  T Range Number  Range Number	
	owner of well:	Bill Cook RP#1	
Street address of well location if in city: CATTES TATION, City, state, zip code: VALLEV FALLS KS 66088			
4. Locate with "X" in section below: Sketch map: WELL N	•	6. Boye hole dia. 10 in. Completion date Well depth 100 ft. 6-22-76	
		7 Cable tool Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary	
E DRIVE	7	8. Use: Domestic Public supply Industry Irrigation Air conditioning Stock	
SW SE		9. Casing: Material PIC Height: Above or below	
HOVSE		Threaded Welded Isurface 24 in.  RMP PVC Gue Weight 2.75 lbs./ft.	
S I <del></del>		Dia. 5 in. to 100 ft. depth Wall Thickness: inches or	
5. Type and color of material	From To	Dia in. to ft. depth gage No. 4258  10. Screen: Manufacturer's name Pun (2)	
Top 50:1	02	Type Pue Dia 511	
•	2 40	Slot/gauze 1025 Length 15	···.: ,
Brown Sandy Clay Gray Clay	40 48	Gravel pack? Size range of material 30,060	
Layer Med. Graves	48	11. Static water level:  12. Static water level:  13. Static water level:  14. Static water level:  15. Static water level:  16. Date (6-72-76)	
Brown Sandy Clay	48 57	12. Pumping level below land surfaces: ATTTST	
Fine Gravel	57 55	ft. after hrs. pumping g.p.m.  ft. after hrs. pumping g.p.m.	
P. 01.	CQ 18	Estimated maximum yieldg.p.m.  13. Water sample submitted:mo./day/yr.	
O so loi	58 68	Yes Vo Date	
Brown Sandy Clay	68 87	14. Well head completion: Cap Top  Pitless adapter 24 Inches above grade	
Fine - med. Gravel	87 91	15. Well grouted?	
Gray Clay	91 94	With: Neat cement Bentonite Concrete  Depth: From ft. to ft.	L,
Shale	96 10	ft. LOO Direction Jw Type Leters	
,		Well disinfected upon completion? Yes No  17. Pump: X Not installed	-
		Manufacturer's name HP Volts	100
		Length of drop pipe ft. capacityg.p.m.	<b>₹</b> (7)
		Type: Submersible Turbine	
(Use a second sheet if needed)		Jet Reciprocating Other	ملاا
18. Elevation: 19. Remarks: I WILL PUT MY OWN TOPOGRAPHY:  WELL  Upland Valley  19. Remarks: I WILL PUT MY OWN TOPOGRAPHY:  WELL  Slope WELL  Slope Valley	4	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.  5 TRAGER DRL9 CO True 182  Business name  Address PT1 Hollon, K5	O NE VE
		Signed Authorized representative Date Date Date Date Date Date Date Dat	2