CORRECTION TO WATER WELL RECORD (WWC-5)

The following correction(s) was made to the attached WWC-5 log, in order to file the item or to rectify lacking or incorrect information.

Fraction (1/4 1/4) Section-Township-Range changed:
listed as NE SW SE, 21-6-75-6-7E
changed to NE SW SE, 21-75-6E
Other changes: Initial statements:
Changed to:
Comments:
verification method: Written & legal description, position on plat map,
and Randolph 1:24,000 topo. map. initials: DRd date: 6/16/2000
submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment Bureau of Water Industrial Programs, Bldg 283, Forbes Field, KS 66620

			. WATE	R WELL RECORD	Form WWC	-5 KSA 82a	-1212			
1 LOCATION OF WATER WELL:			Fraction		Si	ection Number	Township Nu	ımber	Range Nu	mber
				SW 4 SE	1/4	21	<u> T 6-7</u>	S	R 6-7	£ /) V
_			or city street a	ddress of well if locat	ed within city?	?				
<u> 🕹 Soા</u>	<u>uth of</u>	Randolph								
		NER: Gene He								
RR#, St. A	ddress, Bo	×#:300 Cle	burne				Board of A	griculture, l	Division of Water	Resources
City, State,	ZIP Code	Randolp	oh, KS.	66554			Application	Number:		
LOCATE		OCATION WITH 4	DEPTH OF C	OMPLETED WELL water Encountered						1
	1			WATER LEVEL4						
1	i			test data: Well wa						
	- NW	NE								
1	1	LES	t. Yield 3U -	40. gpm: Well wa	ter was	π. aı	πer	nours pu	mping	gpm
* w	<u>_</u>			eter9in. to						
-	i i			O BE USED AS:			8 Air conditioning		-	elow)
1 -	_ SW	SE	1 Domestic	_ 3 Feedlot			9 Dewatering			elow)
	1	* 1	2 Irrigation	4 Industrial			10 Monitoring well			
∤ ∟				pacteriological sample	submitted to I					
•			tted			Wat	ter Well Disinfected			d
5 TYPE O	F BLANK (CASING USED:		5 Wrought iron	8 Cond	rete tile	CASING JOI	NTS: Glued	t.*Clampe	d
1 Stee	el	3 RMP (SR)		6 Asbestos-Cement		r (specify below	•		ed	
_ 2 PVC		4 ABS								
Blank casing	g diameter	in.	to .5 6	ft., Dia	in. t	o	ft., Dia		in. to	ft.
Casing heig	t above la	and surface	18	.in., weight	.1.60	Ibs./1	ft. Wall thickness o	r gauge N	o. • 214	
TYPE OF S	CREEN O	R PERFORATION M	IATERIAL:		<u>7 P</u>	vc	10 Asb	estos-ceme	ent	
1 Stee	el	3 Stainless ste	eel	5 Fiberglass	8 R	MP (SR)	11 Othe	er (specify)		
2 Bras	ss	4 Galvanized	steel	6 Concrete tile	9 A			e used (op		
SCREEN O	R PERFO	RATION OPENINGS	ARE:	5 Gau	zed wrapped		8 Saw cut	` '	11 None (open	hole)
1 Con	ntinuous slo	t 3 Mills	lot		wrapped		9 Drilled holes		` '	<i>'</i>
	vered shut		ounched	7 Toro	• •		10 Other (specify	١		
			From	56 ft. to .	76	ft From	n	ft t	0	#
00.1122.11				ft. to .						
GI	RAVEL PA			30 ft. to						
-						ft., Fror				ft.
6 GBOUT	MATERIAL	······		2 Cement grout						
Grout Interv				ft., From						
		ource of possible con		II., FIOIII	IL.					I
		•		7 Dia			tock pens		bandoned water	weii
1 Septic tank 4 Lateral lines				7 Pit privy	11 Fuel storage 15 Oil well/Gas well					
	ver lines	5 Cess poo		8 Sewage lag	goon		zer storage	16 O	ther (specify belo	ow)
	-	er lines 6 Seepage		9 Feedyard			ticide storage			
		None Prese			1	How mar	ny feet?	100110 1	NITED VALO	
FROM	TO		LITHOLOGIC	LOG	FROM	то	PL	UGGING II	NTERVALS	
0	1	Topsomil				+				
1	15	Brown Cla	_			 				
15	19	Limetsone				_				
19	24	Red Shale								
24	31	Yellow Sh				1 1				
31	<u>51</u>	Limestone				1				
51	57	Gray Shal								
57	72	Gray Shal	<u>le & L</u> i	nestone						
72	77	GRay Shal	le							
		With the second		V						
										
						+				
						<u> </u>				
				ON: This water well v						
completed of	on (mo/day/	year) 5 / . 22 / . (V.V			and this reco	rd is true to the be	of my kno	owledge and beli	ef. Kansas
Water Well	Contractor'			This Water \	Well Record w	as completed o	on (mo/day/yr) 5 /	30/00	.,	
under the b	usiness na	me of Blue V	Valley 1	Drilling		by (signat	ure) Line	tul	• •	
INSTRUC	TIONS: Use ty	pewriter or ball point pen.	PLEASE PRESS FI	IRMLY and PRINT clearly. P	lease fill in blanks	, underline or circle	the correct answers. Se	end top three	copies to Kansas Dep	artment
				0-0001. Telephone: 913-296						i