

1 LOCATION OF WATER WELL: County: <b>Riley</b>	Fraction <b>NW ¼ SW ¼ NE ¼</b>	Section Number <b>28</b>	Township Number <b>T 7 S</b>	Range Number <b>R 6 E/W</b>
---	-----------------------------------	-----------------------------	---------------------------------	--------------------------------

Distance and direction from nearest town or city street address of well if located within city?  
**13700 Tuttle Creek Blvd., Randolph**

2 WATER WELL OWNER: **Leiszler Oil Company**  
 RR#, St. Address, Box # : **635 W. Crawford** Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code : **Clay Center, Kansas 67432** Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL **77** ft. ELEVATION: **1290.73**  
 Depth(s) Groundwater Encountered 1. \_\_\_\_\_ ft. 2. \_\_\_\_\_ ft. 3. \_\_\_\_\_ ft.  
 WELL'S STATIC WATER LEVEL **65.85** ft. below land surface measured on **mo/day/yr** **11/8/2007**  
 Pump test data: Well water was **NA** ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm  
 Est. Yield **NA** gpm: Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm  
 Bore Hole Diameter **6** in. to **78** ft. and \_\_\_\_\_ in. to \_\_\_\_\_ ft.  
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden only **10** Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes \_\_\_\_\_ No  ; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes \_\_\_\_\_ No

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued \_\_\_\_\_ Clamped \_\_\_\_\_  
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded \_\_\_\_\_  
**2** PVC 4 ABS 7 Fiberglass \_\_\_\_\_ Threaded   
 Blank casing diameter **2** in. to **57** ft., Dia \_\_\_\_\_ in. to \_\_\_\_\_ ft., Dia \_\_\_\_\_ in. to \_\_\_\_\_ ft.  
 Casing height above land surface **4.08** in., weight \_\_\_\_\_ lbs./ft. Wall thickness or gauge No. **Sch. 40**  
 TYPE OF SCREEN OR PERFORATION MATERIAL **7** PVC 10 Asbestos-cement  
 1 Steel 3 Stainless steel 5 Fiberglass **8** RMP (SR) 11 Other (specify) \_\_\_\_\_  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 1 Continuous slot **3** Mill slot 6 Wire wrapped 9 Drilled holes  
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) \_\_\_\_\_  
 SCREEN-PERFORATED INTERVALS: From **57** ft. to **77** ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 GRAVEL PACK INTERVALS: From **54** ft. to **77** ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

6 GROUT MATERIAL: 1 Neat cement **2** Cement grout **3** Bentonite 4 Other \_\_\_\_\_  
 Grout Intervals: From **0** ft. to **1** ft., From **1** ft. to **54** ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)  
 13 Insecticide storage \_\_\_\_\_  
 Direction from well? \_\_\_\_\_ How many feet? \_\_\_\_\_

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1.5	Clay (w/gravel at surface), moist, Brown	70.5	72	Limestone, tr. chert, hard, Gray
1.5	2.5	Limestone, fractured, hard, Gray	72	73	Shale, sl. odor, Yellow-Brown
2.5	3	Shale, firm, no odor, Gray-Green	73	76	Limestone, tr. chert, hard, saturated, Gray
3	6	Limestone, hard, no odor, Gray	76	78	Shale, Dark Gray
6	9	Shale, moist, sl. weathered, Yellow-Brown			
9	10	Limestone, hard, Gray			
10	17	Shale, sl. weathered, Yellow to Yellow-Brown			
17	19	Limestone, tr. chert, hard, Lt. Gray			
19	27	Shale, sl. weathered, sl. odor, Lt. Green to Gre			
27	28	Shale, dry, firm, Gray			
28	30	Shale, firm, no odor, Red			
30	47	Shale, dry, firm, no odor, Alt. Red and Green			
47	57	Shale, sl. moist, v. sl. odor, Lt. Green to Yellow			MW1, Tag # 0041727, Flushmount
57	61	Shale, dry, firm, Gray-Green			Project Name: L K 66 "Braddocks"
61	70.5	Shale, sl. moist, Yellow-Brown			GeoCore # 1361, KDHE # U5 081 12275

CORRECTED

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was **(1)** constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **11/6/2007** and this record is true to the best of my knowledge and belief.  
 Kansas Water Well Contractor's License No. **527** This Water Well Record was completed on (mo/day/yr) **11/14/2007** under the business name of **GeoCore, Inc.** by (signature) *Dale Bell*

OFFICE USE ONLY  
 T  
 R  
 EW  
 SEC  
 ¼  
 ¼