WATER WELL RECO	ORD	Form V	VWC-5	Division of Wate	r Resources App. No	
1 LOCATION OF WATE	ER WELL:	Fraction NE 1/4 NE 1/4 N	W 1/4 1/4	Section Number		Range Number R
Street/Rural Address of V	if unknown, distance	Global Positioning System (GPS) information:				
from nearest town or inte	owner's address, che	Latitude: (in decimal degrees) Longitude: (in decimal degrees)				
From Randolph 3 of A Mit South on they				Elevation: (in decimal degrees)		
2 WATER WELL OWNER: P.T. OF Readalch				<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27		
2 WATER WELL OWNER: RR#, Street Address, Box #: City, State, ZIP Code : P. B. 2				Collection Method: GPS unit (Make/Model:)		
City, State, ZIP Code	LAL, KS 66554		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Randolph, KS 66-55 Est. Accuracy: <3 m, 3-5 m, 5-15 m						
3 LOCATE WELL WITH AN "X" IN 4	DEPTH OF	COMPLETED WE	IL Was 7	' <i>O'</i> ft.		
I SECTION DOA:	30X: Denth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft.					
N WELL'S STATIC WATER LEVEL W. S. 60. Let. below land surface measured on mo/day/yr						
X			ft after hours pumping gpm			
	EST. YIELDgpm. Well water wasft. afterhours pumpinggpm Bore Hole Diameterin. toft., andin. toft.					
		ER TO BE USED AS: Public water supply Geothermal Injection well				
18W 8E -	Domestic					ther (Specify below)
Was a chemical/bacteriological sample submitted to Department? Yes No S If yes, mo/day/yr sample was submitted						
1 mile Water well disinfected? Ves No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING IOINTS: Glued Glamped G Welded G Threaded						
Casing diameter						
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface fulf for ft., Diameter in. to ft., Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL:						
Steel Stainless Steel PVC · Other (Specify)						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
From						
From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From						
What is the nearest source of possible contamination:						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well Distance from well						
FROM TO	LITHOLOG		FROM			GGING INTERVALS
D 3 Cours	and Cla	<u>// </u>		,	00 (00) 22 1 2 0	
3 60 Binto	NITE			/		
60 To Chlori	NOTEL SA	end towerl	1.40			
		7	498			Manual Control of the AM AMARIA CONTROL OF THE CONT
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, of plugged						
under my jurisdiction and was completed on (mo/day/year) / / / / / / / / / / / / / / / / / / /						
Kansas Water Well Contrac	tor's License I	No	is Water Well R	ecord was complete	d on (mo/day/year)	19/30/20
under the business name of INSTRUCTIONS: Use typewrit	NO. Lalins	10.2W. W	(.j.V.L.V.J	by (signature)	ful Berguel	
(white, blue, pink) to Kansas De	partment of Healtl	h and Environment, Bure	au of Water, Geol	ogy Section, 1000 SW J	ackson St_Suite 420, '	Topeka, Kansas 66612-1367.
Telephone 785-296-5522. Send http://www.kdheks.gov/waterwell.		TER WELL OWNER at	nd retain one for y	our records. Include for	<u>ee</u> of \$5.00 for each <u>c</u>	onstructed well. Visit us at
KSA 82a-1212						