

MW 1


1 LOCATION OF WATER WELL: County: Pottawatomie Fraction: SE SW NE Section Number: 23 Township Number: T 7 S Range Number: R 9 E

Distance and direction from nearest town or city street address of well if located within city?
East Hyw 16, Olsburg, Kansas

2 WATER WELL OWNER: Jim Johnson
RR#, St. Address, Box #, City, State, ZIP Code: Box 94, Olsburg, Kansas 66520
Board of Agriculture, Division of Water Resources
Application Number: _____

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL: 30 ft. ELEVATION: _____
Depth(s) Groundwater Encountered 1. 23.2 ft. 2. _____ ft.
WELL'S STATIC WATER LEVEL: 22.18 ft. below land surface measured on 6/20/95
Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm
Est. Yield: 8.625 gpm. Well water was _____ ft. after _____ hours pumping _____ gpm
Bore Hole Diameter: _____ in. to 30 ft. and _____ in. to _____ ft.
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well mw-1
Was a chemical/bacteriological sample submitted to Department? Yes _____ No X; If yes, mo/day/yr sample was submitted _____
Water Well Disinfected? Yes _____ No X



5 TYPE OF BLANK CASING USED: 1 Steel 2 PVC 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) CASING JOINTS: Glued _____ Clamped _____ Welded X Threaded _____
Blank casing diameter: _____ in. to 15 ft., Dia. SCH 40 PVC in. to _____ ft., Dia. _____ in. to _____ ft.
Casing height above land surface: 0 in., weight _____ lbs./ft. Wall thickness or gauge No. _____
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 2 Brass 3 Stainless steel 4 Galvanized steel 5 Fiberglass 6 Concrete tile 7 ABS 8 RMP (SR) 9 ABS 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 2 Louvered shutter 3 Mill slot 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) 11 None (open hole)
SCREEN-PERFORATED INTERVALS: From 15 ft. to 30 ft. From _____ ft. to _____ ft.
GRAVEL PACK INTERVALS: From 14 ft. to 30 ft. From _____ ft. to _____ ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
Grout Intervals: From 0 ft. to 12 ft. From 12 ft. to 14 ft. From _____ ft. to _____ ft.
What is the nearest source of possible contamination: 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Contaminated site
Direction from well? _____ How many feet? _____

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
GL	2.50	Soil, silty clay			Flush Mount Wai
	2.50 13.00	Silty Clay (CH)			Don Taylor
	13.00 19.00	Shale			5/5/95
	19.00 30.00	Limestone			
	30.00 TD	End of Borehole			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6/19/95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 585 This Water Well Record was completed on (mo/day/yr) 6/21/95 under the business name of Associated Environmental, Inc. by (signature) Jim Johnson for Dawn Duncan