			WATER	WELL REC	CORD	Form WWC-5	KSA 82	a-1212	М	W4		
LOCATI	PHOFAWA	TER WELL:	Fraction	CS 3			tion Number		ip Number		Range Nu	umber
County:		raine	1/4	- SW	1/4 NE	1/4	23	т	7 s	R	7	<u>(E/W</u>
Distance a	and direction	from nearest town of ast Hyw 16,	or city street ad Olsburg,	dress of well Kansas	II if locate	d within city?						
WATE	R WELL OV	VNER ty of Ols	sbury Att	n: Mar	vin Jo	hnson						
City, State	, ZIP Code	Orsburg, Ka	uisas 6652	<u> </u>				Applic	of Agricultu ation Numbe	er:		r Hesouro
LOCATI	E WELL'S L IN SECTIO	OCATION WITH 4	DEPTH OF CO	MPLETED	WELL	.60	. ft. ELEVA	ATION:				
,,,, <u>,</u>		N I De	epth(s) Groundw	ater Encour	ntered 1	7	ft.	2	1	t. 3. T.T.T		. .
	!		ELL'S STATIC \									
-	NW	NE Es	st. Yield	8.625	Well wate	r was	ft. ε	after	hours	pumping	, ,,,,, ,,,,,	gp
* w -		E Bo	ore Hole Diamet	er	in. to			and		.in. to .	. 	
-	i		ELL WATER TO 1 Domestic			5 Public wate	,	8 Air conditio	•	11 Injecti		halaw)
-	SW	SE	2 Irrigation	3 Feed 4 Indu		6 Oil field wat		9 Dewatering Monitoring			(Specify I	
	1		as a chemical/ba									
	*		itted				<u>-</u>	ater Well Disinf			No X	,
TYPE	OF BLANK	CASING USED:		5 Wrought	iron	8 Concre	te tile	CASING	JOINTS: G	luedTTT	Clamp	ed
1 St		3 RMP (SR)		6 Asbestos	-Cement	9 Other	(specify belo	w)	W	/elded ∵∵		
(2 <i>)</i> °V		2 4 ABS	///\	7 Fiberglas	s		-		Т	nreaded X .	·	
		·	\sim	ft., Dia	S/TH			ft., Dia				
_	_	and surface		n., weight .		\sim		/ft. Wall thickne				
		R PERFORATION N		5 5ib l	_	(7)PV			Asbestos-co			
1 Sto 2 Br		3 Stainless st4 Galvanized		5 Fiberglas6 Concrete		9 AB	P (SR)		Other (spec			
				o Concrete		ed wrapped	3	8 Saw cut	None useu		None (ope	n hole)
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzeo 1 Continuous slot 3 Mill slot 6 Wire w						• •		9 Drilled ho	les		toric (ope	ii noic)
	uvered shut		punched	_	7 Torch			10 Other (sp		 -		
SCREEN-	PERFORAT	ED INTERVALS:	From40	<i>Q</i>	. ft. to	60	ft., Fro	m T.T.T.T	-	ft. to. 		
	SAND		From	· · • • • • • • • • • • • • • • • • • •	. ft. to		ft., Fro	m 	• <i></i>	it. to.	<i>.</i>	
		CK INTERVALS:	From	5	. ft. to	. <i>(Q</i>	ft., Fro	m	•	lt. to.===		
1			From		ft. to		ft., Fro			ft. to		
	r MATERIAI	Z ()	nent 33(2	Cement gr	ભું ત્ર	子						
Grout Inte		m ft.		ft., Fro	om	Υ π.	to <i>O</i>	•	n		 0 1	
	eptic tank	ource of possible cor 4 Lateral I		7 Dit	nrivar		11 Fuel	stock pens			ned water //Gas well	
2 Sewer lines 5 Cess pool				7 Pit privy 8 Sewage lagoon				lizer storage	16 Other (specify below)			
		ver lines 6 Seepage			edyard			cticide storage	Contam			
	from well?		- F ·					iny feet?	site		•	
FROM	то		LITHOLOGIC L	OG		FROM	ТО		PLUGGIN	G INTER	VALS	
GL 2	2.00	Soil										
2.00 22		Silty Clay (~ U\						Flush i		Wai	
2.00 24		Clayey Silt							Don Ta	_		
.00 60	1	Limestone	(1111)							5/5/	95	
0.00	TD	End of Boreh	ole									
	_											
										-		
												AND THE COLUMN TWO IS NOT THE COLUMN TWO IS
	 											
				<u> </u>								
T												
_		OR LANDOWNER'S (vear) 5/10/9	CERTIFICATIO 5	N: This wat								
	on (mo/day	58	ς					ord is true to th	-		-	illet. Kansa
water Wel	n Contractor	's License No Associated me of	d Environm	inis mental.	water w	ell Hecord wa	s completed by (signa	on (mo/day/9/)	/	6/21/	95 · · · · ·	Dun
		pewriter or ball point pen.				and fill in blanks		4	Mync	gui De	NO KORORE O	onorman'
		/pewriter or ball point pen. nent, Bureau of Water, Top									u ransas D€	spariment