			WATE	R WELL RECO	RD F	orm WWC-5	KSA 82a	-1212	11	N 1		
1 LOCATION OF WATER WELL:			Fraction	Fraction			tion Number		ship Number Range Number			ımber
County:	Pottawa	tomie	SE 1/4	SW 1/4	NE	1/4	23	Т	7 s	R	7	(E)W
Distance a	ınd direction		n or city street ac		located	within city?		•				
	E	ast Hyw 16,	, Olsburg,	Kansas								
2 WATER	R WELL OW	NER:	_									
RR#, St.	Address, Box	$_{\star}$ #Kathy Ase	ebedo					Board	of Agricultu	re, Divisior	of Wate	r Resources
City, State	, ZIP Code	401 N. 1s	st, Box 61,						ation Numb			
3 LOCATI	E WELL'S L	OCATION WITH	4 DEPTH OF C	OMPLETED WI	ELL	5 <i>5</i>	. ft. ELEVA	TION:		-		
AN "X"	IN SECTION	y BOX:	Depth(s) Ground	water Encounter	red 1.	42.7	ft. 2	2		ft. 3 T.T.	- 	ft.
- r	1		WELL'S STATIC									
1	ı	i i i i		test data: We						-		
-	NW	NE	Est. Yield									
'. I	-	;	Bore Hole Diame	ter 8.625	in to	55	ft	and		in to		ft.
Mile W	<u> </u>	E E	WELL WATER T			Public wate		8 Air condition		11 Injection		
-	i	i	1 Domestic	3 Feedlo		Oil field was	,	9 Dewatering	•	12 Other		pelow)
-	- SW	SE	2 Irrigation	4 Industr				10 Monitoring				
	!		Was a chemical/b		ample su	bmitted to De	epartment? Yo	es No	X If	ves. mo/da	ıv/vr samı	ole was sub-
Į L		· · · · · · · · · · · · · · · · · · ·	mitted	actoriological of	ampie ou		•	ter Well Disin		-	No X	
5 TYPE (OF BLANK (CASING USED:		5 Wrought iro	n	8 Concre			JOINTS: 0			
1 St		3 RMP (SF	3)	6 Asbestos-Ce			specify below				•	
	10	4 ADC	,	7 Fiberglass				•, 		_	_	
Blank casi	na diameter	2	in to 35	ft., Dia .								
Casing he	iaht ahove la	and surface	0	in., weight				,				
1	-	R PERFORATION		in, woight		(7)°V			Asbestos-c			
1 St		3 Stainless		5 Fiberglass			P (SR)					
2 Br		4 Galvanize		6 Concrete tile	a	9 AB						
								8 Saw cut	110110 0000		•	n hole)
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open his 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes										11.0.0)		
	uvered shutt		ey punched		Torch o	• •		10 Other (s				
		ED INTERVALS:	From3	5	t to	55	ft. From	m 		ft. to 		
	SAND		From		t. to		ft Fro			ft. to 		ft.
		CK INTERVALS:	From	20	t. to	5				ft. to .		ft.
			From		t. to		ft., Fro			ft. to		ft.
6 GROUT	MATERIAL	.: 1 Neat c		2		3 ento	-11-	Other				
Grout Inter	7			ft. From	2.8	S ft.	to 30	ft Fro	m	ft.	to ===	
What is th		ource of possible		,,				tock pens		4 Abandor		well
1 Septic tank 4 Lateral lines 7 Pit privy							11 Fuel	•	1	5 Oil well/	Gas well	
	wer lines	5 Cess		8 Sewage lagoon			12 Fertili		6 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard								ticide storage		minate		
Direction f	•	-	3 - F		,		How ma	•	site			
FROM	ТО		LITHOLOGIC	LOG		FROM	ТО	.,		G INTERV	/ALS	
GL	2.00	Soil, Cla	vev silt						Flus	Mount	Wai	
2.00		Silty Cla								aylor		
13.00		Limestone									/95	
55.00	TD	End of Bo	rehole								,	
7 CONTE	BACTOR'S	OR LANDOWNER	R'S CERTIFICATION	ON: This water	well was	(1) construi	cted (2) reco	enstructed or	(3) plugged	under my	iurisdictio	on and was
			.5/95									
			585								√95 · ·	
			ated Envir						ohusn		min.	Dura
												~~~
INSTRU	CTIONS: Use to	pewriter or ball point p	oen. PLEASE PRESS FI	RMLY and PRINT of	early. Pleas	e fill in blanks i	inderline or circle	the correct arrev	ers. Send ton t	nree/copies to	o Kansas ∩e	Poartment .