WATER WELL RECORD		Form WWC-5		Division of Wate	er Resources App. N	0.	
1 LOCATION OF WATER WELL: County: POTT WITTOM TE		Fraction 1/4 NW/4 NW 1/4		Section Number	Township No.		
Street/Rural Address of Well Location; i		f unknown, distance & direction			g System (GPS) in	iformation:	
from nearest town or i	ntersection: If at o	wner's address, check here .		Global Positioning System (GPS) information:  Latitude:			
300 L CASE RAWING RD  OISBURG, KS.  2 WATER WELL OWNER: DAVID HETER			Longitude: 96:64231(in decimal degrees)				
OSRUPL VS.				Elevation:			
A WATER WELL OWNER, DAUT D HETER				Datum: WGS 84, NAD 83, NAD 27			
RR#, Street Address, Box #: PO Box B				Collection Method: CARMIN 62TREN)			
at a grad a				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZII Code	RG,KS6652	Est. Accuracy:	<3 m, 3-5 m,	5-15 m, $\square$ >15 m			
3 LOCATE WELL	COMDITED WELL	) ft.					
WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 240  Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft.						
SECTION BOX:	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr						
	Pump test data: Well water was						
ECT VIELD com Wall water was ft offer hours numning							
[NW							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
Domestic T Feedlot T Oil field water supply T Dewatering T Other (Specify below)							
1 15W15E1 1 =							
S If yes, mo/day/yr sample was submitted							
1 mile  Water well disinfected?   Yes   Yes							
Water well districted: 103 Zero							
5 TYPE OF CASING USED: Steel PVC Other DPE							
CASING JOINTS: Glyed Clamped Welded Threaded							
Casing diameter in. to							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Steinless Steel ☐ PVC ☐ Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From ft. to ft. From ft. to ft.							
From							
GRAVEL PACK INTERVALS: From						to ft.	
From ft. to ft., From ft. to							
6 GROUT MATERIAL:   Neat cement  Cement grout  Bentonite  Other							
Grout Intervals: From							
What is the nearest source of possible contamination:							
Septic tank						er (specify below)	
Sewer lines	☐ Cesspool		Fuel storage			USE	
□ Watertight sewer lines □ Seepage pit □ Feedyard □ Fertilizer storage □ Oil well/gas well □ Direction from well □ Distance from well □ Z5							
FROM TO	LITHOLOG	IC I OG	FROM			CCDIC DITERVALO	
	/	IC LOG	FROM	10 LITHO. L	OG (cont.) or PLU	IGGING INTERVALS	
0 40 CLA	<u> </u>		<del> </del>		711		
			<del>                                     </del>	2-	290		
	MESTONE		<del>                                     </del>				
107 211 Sha	12000		<del> </del>	2-	125		
	DESTONE		<del> </del>				
227 240 SHA	-R						
		~~~~					
			<del>                                     </del>	/	-		
7 CONTRACTORS OF	O I ANDOMESION	10 OPDITIO A DEC	N. T. 960	Hope			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This pater well was constructed, or plugged							
under my jurisdiction and was completed on (mo/day/year)							
Kansas Water Well Conti	actor's License No	o	water Well Re	cord was completed	1 on (mo/day/year)	1.45.1. <del></del> 4011	
under the business name	01	DIEACE DECC CIDE	and PROTECT	by (signature)	- Jugar	<del></del>	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							