

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Pottawatomie</u>	<u>SE 1/4 SE 1/4 SE 1/4</u>	<u>1</u>	T <u>7</u> S	R <u>9</u> <u>E/W</u>

Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER:	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # : <u>Ross Spohn</u> <u>RR #1 Box 28</u>	Application Number:
City, State, ZIP Code : <u>Westmoreland Ks 66519</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>120'</u> ft. ELEVATION:
--	---

1 Mile

W E

NW	NE
SW	SE

S

Depth(s) Groundwater Encountered 60 ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL 60 ft. below land surface measured on mo/day/yr 10/19/88

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield 10 gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter 8 in. to 120 ft. and in. to ft.

WELL WATER TO BE USED AS:

<input checked="" type="checkbox"/> Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
2 Irrigation	4 Industrial	7 Lawn and garden only	10 Monitoring well	

Was a chemical/bacteriological sample submitted to Department? Yes No ☒ If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes ☒ No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<input checked="" type="checkbox"/> PVC	4 ABS	7 Fiberglass	10 Asbestos-cement
Blank casing diameter <u>5</u> in. to <u>100</u> ft. Dia			11 Other (specify)
Casing height above land surface <u>24</u> in. weight <u>200</u> lbs./ft. Wall thickness or gauge No.			12 None used (open hole)
TYPE OF SCREEN OR PERFORATION MATERIAL:	<input checked="" type="checkbox"/> PVC		
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	<input checked="" type="checkbox"/> Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:	From <u>100</u> ft. to <u>120</u> ft.		
	From ft. to ft.		
GRAVEL PACK INTERVALS:	From <u>80</u> ft. to <u>120</u> ft.		
	From ft. to ft.		

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	<input checked="" type="checkbox"/> 3 Bentonite	4 Other
Grout Intervals: From <u>0</u> ft. to <u>80</u> ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	<input checked="" type="checkbox"/> 10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well? <u>EAST</u>			13 Insecticide storage	
			How many feet? <u>50</u>	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Top soil			
2	9	Brown Clay			
9	27	Tan Shale			
27	28	Lime stone			
28	37	Red shale			
37	39	Limestone			
39	44	Tan Shale			
44	52	Limestone layers			
52	56	Gray Shale			
56	90	Tan Shale			
90	108	Gray Shale			
108	110	Limestone			
110	120	Gray Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>10-19-88</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>234</u> This Water Well Record was completed on (mo/day/yr) <u>12-26-88</u> under the business name of <u>STRADER Blue Valley Drilling</u> by (signature) <u>Eric Strader</u>
--