ww132

		WAT	ER WELL REC	ORD Form	n WWC-5	KSA 82a-1	1212 ID	No			
1 LOCAT		ATER WELL:	Fraction	114/ 1/	NB 14		tion Numbe	T Townsh	nip Number <b>2</b> S	Range Number	
	nd direction	n from nearest towr	n or city street a	address of well	if located w	ithin city?			<b>)</b>	' '	
3/4 2 2 WATER	MELL O	2 SOUTH O	F FOAN) OAFFS	1							
	ddress, Bo	x# : 220 N.	LENCOLN	16 11.74	72_			Applica	ation Number:		
3 LOCATE	WELL'S L	OCATION WITH 4	DEPTH OF C	OMPLETED V	VELL	0	ft. ELEV	ATION:			
AN "X" IN	SECTION	N BOX:	Depth(s) Groun WELL'S STATION	C WATER LEV	EL <b>Z.)</b> Well water	ft. belo	w land surfa	. after	n mo/day/yr hours p	<b>B/25/04</b> apm	
	Est. Yield B										
W Domestic (lawn & gardes) 10 Monitoring Weil											
Was a chemical/bacteriological sample submitted to Department? Yes No Water Well Disinfected? Yes witted									no/day/yrs sample was sub-		
1 Stee	TYPE OF BLANK CASING USED:  1 Steel 3 RMP (SR)  4 ABS				6 Asbestos-Cement		8 Concrete tile 9 Other (specify below)		CASING JOINTS: Glued Clamped		
		4 ABS		7 Fiberglass							
Blank casing diameter											
TYPE OF SCREEN OR PERFORATION MATERIAL:						10 Asbestos-Cement					
1 Steel 3 Stainless Steel 5 Fiberglass									Other (Specify None used (or	)	
2 Diass							3	· · · · ·			
SCREEN OR PERFORATION OPENINGS ARE:  1 Continuous slot 2 Louvered shutter  5 Guazed wrapped 6 Wire wrapped 7 Torch cut  8 Saw cut 11 None (open hole) 9 Drilled holes 10 Other (specify)											
SCREEN-PERFORATED INTERVALS: From 45											
SONELIVI	LITTONA	TED INTERVALS.	From		ft. to		ft., Fro	m	ft. to	ft.	
(	GRAVEL P	ACK INTERVALS:	From	<b>25</b>	ft. to ft. to	6.0	ft., Fro ft., Fro	m m	ft. to	ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 5 Beatonito 4 Other											
6 GROUT MATERIAL: 3 1 Neat cement 2 Cement grout 3 Bestopito 4 Other											
What is the	e nearest s	source of possible of	contamination:				10 Live	estock pens		Abandoned water well	
	tic tank	4 Latera		' '			el storage 15 Oil well/Gas well				
	ver lines	5 Cess					Fertilizer storage Insecticide storage  Manual Control (Control (C				
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage									w		
FROM	ТО		CLOG		FROM	то	arry 100t.	PLUGGING IN	TERVALS		
0	21	CLAS									
21	32	SAND FOR	IRTOMA	1.							
32	60	SUKUE.							0EN/ED		
								RECEIVED			
							NOV 0 8 2004				
							BUREAU OF WATER				
7 CONTR	ACTOR'S	OR LANDOWNER	R'S CERTIFICA	TION: This wa	ater well was	s (1) constri	ucted (2) re	econstructed or	(3) plugged up	der my jurisdiction and was	
completed of	on (mo/day		5/NU				and this	record is true to	the best of my k	nowledge and belief. Kansas	
			505					eted on (mo/day/	(yr)	4/94	
under the b	usiness n	ame of <i>#55</i>	OUTATION	ENVERO	NINKA!	TZ FA	16 b	y (signature)	TUND	1/_	

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.