KOLAR Document ID: 1476226

WATER WI			W W C-5				sion of Wate				W 11 ID			
Original Reco			e in Well U	se			irces App. N		T 1		Well ID	Non-lean		
1 LOCATION OF WATER WELL:			Fraction 1/4 1/4 1/4 1/4			Section Number			Township Number T S		II .	Range Number R □ E □ W		
County:  2 WELL OW	NED	-4 N	First:	/4		r Diire	al Address	whor						
Business:	INIZIN. La	st Name:	riist.											
Address:														
Address:														
City:		State:	ZIP:											
3 LOCATE WI		4 DEPTH OF COM	IPLETED	WELL:		ft.	5 Latitu	ude: .				(decimal degrees)		
WITH "X" IN SECTION BO	Donth(s) Groundwater Engeuntered: 1) ft						Longitude:(decimal degrees)							
N SECTION BO	<b>021.</b>	2) ft. 3		Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27										
		WELL'S STATIC WAT				Latitude/Lor								
			, measured on (mo-day-yr), measured on (mo-day-yr)				☐ GPS (unit make/model:)  (WAAS enabled? ☐ Yes ☐ No)  ☐ Land Survey ☐ Topographic Map							
NW NI	E		vater was ft. s pumping gpm											
w	E						☐ Online Mapper:							
'   '			vater was ft.											
SW SI	E		s pumping gpm											
		Estimated Yield:					6 Elevation:ft. Ground Level TOC							
S 1:1-	1	Bore Hole Diameter:					Source: Land Survey GPS Topographic Map Other							
1 mile  in. to ft. Uother														
1. Domestic:	LK IU		ter Sunnly	well ID			10 🗆 🗘	il Fial.	d Water Cum	nly lee	S.A.			
☐ Household			ter Supply: well IDg: how many wells?				10.  Oil Field Water Supply: lease							
Lawn & Gai	rden		echarge: well ID				☐ Cased ☐ Uncased ☐ Geotechnical							
Livestock		8. Monitoring							l: how man					
2.   Irrigation			al Remediation: well ID				a) Closed Loop							
3. ☐ Feedlot ☐ Air Sparge			-				b) Open Loop							
4. ☐ Industrial		Recovery		Injection										
		iological sample subm	itted to K	DHE?	] Yes □	No	If yes, date	e sam	ple was su	bmitted:	:			
Water well disin														
	8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter ft., Diameter ft.									I ☐ Threaded				
		urface in. PERFORATION MAT		ıt	108	s./II.	wall thick	kness (	or gauge No	)				
☐ Steel		less Steel	IENIAL.	□ PVC			□ Oth	her (Si	pecify)					
☐ Brass	_	anized Steel			used (oper	n hole)		iici (bj	peerry)	• • • • • • • • • •				
		ATION OPENINGS AF	RE:		(-F	/								
☐ Continuous	Slot	☐ Mill Slot ☐ Ga	uze Wrapp				illed Holes		Other (Speci	fy)				
		☐ Key Punched ☐ W					one (Open H							
		D INTERVALS: From									ft. to			
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft.														
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other														
Grout Intervals: From														
Nearest source of ☐ Septic Tank		contamination: No  Lateral Line		Pit Privy	ontaminatio		iin 200 π. Livestock Pe	nc		Incacticia	de Storage			
Sewer Lines				Sewage L	agoon		Fuel Storage				ed Water V			
☐ Watertight S							Fertilizer Sto				Gas Well	,, cli		
		_ 1 °				_		U	_					
				nce from										
10 FROM	ГО	LITHOLOG	GIC LOG		FRO	M	TO	LITH	IO. LOG (c	ont.) or F	LUGGIN	G INTERVALS		
					_									
					-									
					Notes									
					11016	•								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged														
under my jurisdi	under my jurisdiction and was completed on (mo-day-year)													
Kansas Water Well Contractor's License No														
under the busine	under the business name of													
KS Denartment o												· 785-296-3565		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> KSA 82a-1212														

Form	WWC5			
Contractor	Associated Drilling, Inc.			
Well Owner	Jay Rezac			
Doc ID	1476226			

## Lithology

То	LithologicLog
6	Clay, brown
8	Limestone, broken
24	Shale, red
32	Limestone, broken H2O
50	Shale, gray
56	Limestone
60	Shale, gray
62	Weathered Shale
72	Shale, red
82	Limestone
90	Shale, gray
92	Limestone
96	Void w/weathered shale
99	Limestone
102	Shale, gray
110	Limestone
	6 8 24 32 50 56 60 62 72 82 90 92 96 99