

WATER			WWC-5 1193	DI	vision of Wate			
Original Record Correction Change I LOCATION OF WATER WELL:					ction Number	rces App. No. Well ID On Number Township Number Range Number		
County:						T = 10 whish p Nullo	$\begin{array}{c} R \\ R \\ E \\ E \\ W \end{array}$	
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and								
					rection from nearest town or intersection): If at owner's address, check here:			
Address:								
Address: City:		State:	ZIP:					
3 LOCATE	WELL							
WITH "X" IN 4 DEPTH OF CO			IPLETED WELL: ft.			5 Latitude:(decimal degrees)		
	SECTION BOX: N N Depth(s) Groundwater Encountered: 1) 2) ft. 3) ft., or				Longroude			
N		WELL'S STATIC WA			Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:			
		below land surface)		
NW	- NE	above land surface,		(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map				
		Pump test data: Well w						
W X E		after hours			ine Mapper:			
SW	SE	Well water was ft. after after gpm						
		Estimated Yield:gpm		5P	6 Elevation:ft. Ground Level TOC			
S		Bore Hole Diameter:	ft. and	Source: Land Survey GPS Topographic Map				
1 mi	1		ft.	ft.				
7 WELL WATER TO BE USED AS:								
1. Domestic:	14	5. 🗌 Public Wa						
☐ Househo ☐ Lawn &		6. 🗌 Dewaterin 7. 🔲 Aquifer R						
	Lawn & Garden7. Aquifer Recharge: well IDLivestock8. Monitoring: well ID							
2. Irrigation	- 6							
3. Feedlot Air Sparge			e 🛛 🗌 Soil Vapor E			b) Open Loop 🔲 Surface Discharge 🔲 Inj. of Water		
4. 🗌 Industria	ıl	□ Recovery	□ Injection	13. 🗌 Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:								
Water well disinfected? Yes No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Fiberglass PVC Other (Specify)								
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)								
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Nearest source of possible contamination:								
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage								
□ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well								
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well								
Direction from well? ft.								
10 FROM	TO	LITHOLOG		FROM			PLUGGING INTERVALS	
ļ					↓			
				NT - 4 -				
Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No								
under the bus	siness name	of			anda Ef #F	00 for each as		
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212								