			WATER	WELL RECOP	ND FOR	m wwc-	5 KSA 82a-	1212				
LOCATI	ON OF WA	TER WELL:	Fraction			Se	ction Number	Townsh	ip Number	Rang	ge Numb	er
County:			NW 1/4	NW 1/4		1/4	26	Τ	8 s	R	_19	E/W
Distance a	nd direction	from nearest town	•			thin city?						
			west of W			1004						
2 WATER	R WELL OW	NER: Jeffers	son Co. No:	rth High	School	L						
RR#, St.	Address, Bo	x#: c/o Bob	Shanks					Board	of Agriculture,	Division of	Water R	esources
City, State	, ZIP Code	Winches	ster, KS 6	6097	Footb	all Fi	eld	Applic	ation Number:			
LOCATI	WELL'S L	OCATION WITH 4 N BOX:										
- г			epth(s) Groundwa									
t l	i		ELL'S STATIC V									
Pump test data: Well water was ft. after hours pumping												
Est. Yield												
Bore Hole Diameter . 8 . 3/4 in. to										ft.		
≥	X 1		ELL WATER TO		• • • • • • • • • • • • • • • • • • • •							
`SW` SE								ater supply 9 Dewatering 12 Other (signature of the particular of				, I
	1		2 Irrigation	4 Industria								
↓ L	1	L W	as a chemical/ba	cteriological sa	mple subm	nitted to D	epartment? Ye	sNo	X; If yes	, mo/day/yr	sample	was sub-
-	9		itted						fected? Yes	41		
J TYPE (OF BLANK (CASING USED:	ŧ	Wrought iron	1	8 Concr	ete tile	CASING	JOINTS: Glue	d X C	lamped	
1 Ste	eel	3 RMP (SR)	•	Asbestos-Ce	ment	9 Other	(specify below)	Weld	ed		
_ 2 PV		4 ABS		' Fiberglass				. . <i></i> .		aded		
		$\dots\dots.5\rlap.{"}\dots.in.$										
Casing hei	ght above la	and surface	24." ir	., weight	2.82		Ibs./f	t. Wall thickn	ess or gauge N	o . .258.		
TYPE OF	SCREEN O	R PERFORATION M	MATERIAL:			7 PV	/C	10	Asbestos-ceme	ent		i
1 Ste	el	3 Stainless st	eel 5 Fiberglass			8 RM	MP (SR)	11	11 Other (specify)			
2 Bra	iss	4 Galvanized	steel 6	teel 6 Concrete tile			s	12	None used (open hole)			
SCREEN (OR PERFOR	RATION OPENINGS	ARE:	5 Gauzed wrapped			8 Saw cut			11 None (open hole)		
1 Co	ntinuous slo	t 3 Mill s	slot	6 Wire wrapped				9 Drilled ho	-			,
2 Lo	vered shutt	er 4 Kev i	punched		Torch cut			10 Other (sr	ecify)			
SCREEN-F	PERFORATE	ED INTERVALS:	From32	ft.	to 4.0) <i>.</i>			• .			
			From80									1
G	RAVEL PA	CK INTERVALS:	From24									
			From				ft., From					ft.
GROUT	MATERIAL	: 1 Neat cem	nent 2	Cement grout								
Grout Inter	vals: From	mft.										
What is the		ource of possible cor		,	30		10 Livesto			bandoned v		- 1
	otic tank	4 Lateral li					11 Fuel s		15 Oil well/Gas well			
	wer lines	5 Cess po	, ,				12 Fertiliz		16 Other (specify below)			
		er lines 6 Seepage	•				13 Insecti					
Direction for	•	west	, p.,	o i occiji	u. u			y feet? 14				
FROM	TO		LITHOLOGIC LO)G		FROM	TO	y leet: I	PLUGGING II	NTERVALS		
0	2	Top Soil										
2	25	Clay-Brown										
25	2646	Fine Sand-E	Brown			, ,						
26	32	Clay-Brown										
32	37	Limestone-	Yellow-loos									
37	41	Shale-Grey										
41	44	Limestone-C										
44	75	Shale-Grey										
75	85	Shale-Grey										
85	98	Sandstone-(
98	105		-				 -					
		Limestone-(-		1							
105	108	Shale-Grey										
108	110	Limestone-C					 					
110	116 120	Shale-Grey LImestone-7					 					
116							L					
		R LANDOWNER'S										
completed	on (mo/day/	year)8-15-91	L				and this record	d is true to the	e best of my kno	owledge an	d belief.	Kansas
		s License No								77/		
indor the b	ucinoce nor	ne of STRADER	DRILLING (YO TIME			by (cianati	10) 1	(1	-6		

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.