

1 LOCATION OF WATER WELL
 County: CLAY Fraction NW 1/4 SW 1/4 NW 1/4 Section Number 25 Township Number T 8 S Range Number R 20 EW

Distance and direction from nearest town or city? 2 SOUTH 2 WEST 1/2 SOUTH CLAY CENTER Street address of well if located within city?

2 WATER WELL OWNER: RANDY CHAREST
 RR#, St. Address, Box #: CLAY CENTER, KANSAS 64432 Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: Application Number:

3 DEPTH OF COMPLETED WELL: 70 ft. Bore Hole Diameter: 8 in. to 70 ft., and in. to ft.

Well Water to be used as:
 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 7 Lawn and garden only 10 Observation well

Well's static water level: 35 ft. below land surface measured on 4 month 17 day 80 year

Pump Test Data: Well water was NA ft. after hours pumping gpm
 Est. Yield 7 gpm: Well water was NA ft. after hours pumping gpm

4 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded

Blank casing dia: 5 in. to 50 ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface: 12 in., weight 3 lbs./ft. Wall thickness or gauge No. 258

TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)
 12 None used (open hole)

Screen or Perforation Openings Are:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)

Screen-Perforation Dia: 5 in. to 70 ft., Dia in. to ft., Dia in. to ft.

Screen-Perforated Intervals: From 50 ft. to 70 ft., From ft. to ft., From ft. to ft.

Gravel Pack Intervals: From 13 ft. to 70 ft., From ft. to ft., From ft. to ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grouted Intervals: From 3 ft. to 13 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:
 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below)

Direction from well NW-200' How many feet 200' ? Water Well Disinfected? Yes No

Was a chemical/bacteriological sample submitted to Department? Yes No If yes, date sample was submitted month day year Pump Installed? Yes No

If Yes: Pump Manufacturer's name Model No. HP Volts

Depth of Pump Intake ft. Pumps Capacity rated at gal./min.

Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on 6 month 17 day 80 year

and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 359

This Water Well Record was completed on 6 month 29 day 80 year under the business name of DARYL COX & SONS INC by (signature) Daryl Cox

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	3	TOPSOIL			
3	12	BROWN CLAY			
12	22	BLUE CLAY			
22	30	BROWN CLAY			
30	39	BLUE CLAY			
39	40	LIMESTONE			
40	53	RED CLAY			
53	62	BROWN CLAY			
62	70	LIMESTONE			
		STOP			

ELEVATION:

Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
 T
 R
 SEC.
 85-
 NW 1/4 SW 1/4 NW 1/4