		WA	TER WELL REC	CORD	Form	n WWC-5	KSA8	2a-1212	ID No.						
1 LOCAT		ATER WELL:	Fraction	20110	1 0111	1 11110-0		Section Nur			wnship Nu	mber	R	ange Num	ber
County:	Jeffer		SW 1/4			NW	1/4	7		Т	8	s	R	20E	E/W_
Distance and direction from nearest town or city street address of well if located within city? $3\frac{1}{2}$ miles north & $2\frac{1}{2}$ miles west of Winchester															
3½ m	iles no RWELLOW			<u>west</u>	of	Winc	hester	•							
<u> </u>			ge Doman	D.3						_					
City, State,	ddress, Box . ZIP Code		3 182nd		660	0.7						riculture, D Number	ivision of	Water Re	esources
City, State, ZIP Code : Winchester, Ks. 66097 Application Number: 3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 100 ft. ELEVATION:															
	N SECTION		Depth(s) Grou												
N WELL'S STATIC WATER LEVEL \$\dagger \frac{1}{2}\dagger \dagger \												26-0.4			
Pump test data: Well water was															
-	-NMX - -	- NE	TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well										gp		
w _	i	E	2 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well												
W									•••••						
SW SE Was a chemical/bacteriological sample submitted to Department? Yes NoX; If yes, mo/day/yrs sample was s													was sub-		
	1												No	vao oab	
L	S														
5 TYPE OF BLANK CASING USED:					5 Wrought iron							NTS: Glued	X	Clamped	
1 Steel 3 RMP (SR) 2 PVC 4 ABS					6 Asbestos-Cement7 Fiberglass			9 Other (specify below)							
Blank casi	<u>/</u> na diameter	/ Fibe	iyiass	ft. Dia	*********	in to			ft Dia	111166	iueui	 n. to	ft		
Blank casing diameter											258				
TYPE OF	SCREEN OF	R PERFORATIO				7	7 PVC				estos-Cem				
1 Steel 3 Stainless Steel 2 Brass 4 Galvanized Steel					5 Fiberglass6 Concrete tile			8 RMP (SR) 9 ABS				er (Specify) e used (op			
i		RATION OPENIN		0 0011	Ciele i					0.0		` .	,	- (h	-1-\
	tinuous slot		ill slot				ized wrappe e wrapped	au .		8 Saw 9 Drille	ed holes		II NON	e (open h	ole)
l .	vered shutte		ey punched			7 Toro)			
SCREEN-	PERFORATI	ED INTERVALS:	From	12		.ft. to	50	ft.,	From	73		ft. to	75		ft.
From										•••••		ft.			
· ·	SI IN CE I A	OK IIVI EI WALO.	From			. ft. to		ft.,	From		······	ft. to			ft.
6 GROU	IT MATERIA	1 Noot	coment	0.0						O45 - "					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other															
		urce of possible		,	, 110					ck pens	0111			d water w	
1 Septic tank 4 Lateral lines					7 Pit privy			11 Fuel sto					il well/Ga		
2 Sewer lines 5 Cess pool					8 Sewage la			agoon 12 Fertilizer			e	16 O	ther (spe	cify below	v)
		er lines 6 Seep			9	Feedya	rd			ide stora	•				
Direction fr FROM	TO	XX north	2100					v many	feet?	120					
		L	LITHOLOGIC	LOG			FROM	ТО	-		PLU	GGING IN	IEHVAL	<u> </u>	
3	<u>3</u>	top %% s clay bro							-						
5	27	clay pro													
27	35	clay tan													
35	42	caly tan silty fine sand													
42	50	fine/course sand pea brown													
50 57	57	clay tan													
73	73 75	clay grey tan												٠	
75	82	fine/course sand brown clay grey sandy													
82	84	shale grey													
84	86	limestone grey													
86	100	grey sha													
7 CONTR	ACTOR'S C	R LANDOWNER	R'S CERTIFICA	TION: Th	nis wat	er well v	vas (1 <u>) con</u>	structed, (2)) recons	structed,	, or (3) plu	ugged und	er my ju	risdiction	and was
completed o	on (mo/day/y	rear)	.830.4	102		h!- 147 :	- 144: " -	and t	his reco	ord is true	to the be	st of my kno	owledge	and belief	. Kansas
	usiness nam	Licence No						ord was com		on (mo/d gnature)		· O	//	,	
		- SCIA	der Dril	TTIIG		•, 11	.IC •		by (SI	griature)	MA	1-37	200		