

WATER V			WWC-5 1262	D.	ivision of Wate			
Original Record Correction Changer     I LOCATION OF WATER WELL:					sources App. N ection Numbe			
County:			1/4 1/4 1/4					
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and								
Business:				direction from nearest town or intersection): If at owner's address, check here:				
Address:	Address: Address:							
City:		State:	ZIP:					
3 LOCATE								
WITH "X" IN 4 DEPTH OF COM			PLETED WELL: ft.			5 Latitude:(decimal degrees)		
	SECTION BOX: N Depth(s) Groundwater Encountered: 1) 2) ft. 3) ft., or 4) [ WELL'S STATIC WATER LEVEL:						(decimal degrees)	
N						Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:		
		below land surface				<u>z</u> .		
NW	- NE	above land surface	, measured on (mo-day-	yr)		(WAAS enabled? ☐ Yes ☐ No)		
		Pump test data: Well water was ft.			🗆 La	Land Survey Topographic Map		
W X E			s pumping			nline Mapper:		
SW	- SE		vater was fi s pumping					
		Estimated Yield:gpm					t. 🔲 Ground Level 🔲 TOC	
S		Bore Hole Diameter:	ft. and	Source:  Land Survey  GPS  Topographic Map				
1 mile		in. to ft				□ Other		
7 WELL WATER TO BE USED AS:								
1. Domestic:       5. □ Public Water Supply: well II         □ Household       6. □ Dewatering: how many well								
☐ Househol ☐ Lawn & (		6. ☐ Dewaterin 7. ☐ Aquifer R			11. Test Hole: well ID			
			g: well ID			12. Geothermal: how many bores?		
2. Irrigation								
3. 🗌 Feedlot 🗌 Air Sparge			e 🔲 Soil Vapor Extraction		b) Op	b) Open Loop 🔲 Surface Discharge 🔲 Inj. of Water		
4. 🗌 Industrial	1	□ Recovery	□ Injection	$\Box$ Injection 13. $\Box$ Other				
Was a chemical/bacteriological sample submitted to KDHE? 🗌 Yes 🗌 No If yes, date sample was submitted:								
Water well disinfected?  Yes No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.								
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No								
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)								
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Nearest source of possible contamination:								
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage								
□ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well								
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well								
Direction from well? ft.								
10 FROM	TO	LITHOLO		FROM			r PLUGGING INTERVALS	
	-				_			
<u>├</u> ───┤─				Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No								
		Send one copy to WATER W	ELL OWNER and retain of	one for your re	cords. Fee of \$5	.00 for each constructed w	ell.	
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212								