USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

-a

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction	Section		Township number	Range number
1. Location of well:	Leavenworth	NE _{1/4} SW 1/4 NW 1/4	-	5	T 8	R 21 EW
2. Distance and direc	ction from nearest town or city,	les north of	ner of well	· Mr	s. Mary Lee Eva	ns
Street address of well		on 1/4 mile east t _{City, st}	street:	14	119 Sanders	
4. Locate with "X" in section below: N					6. Bore hole dia 60 in. Well depth ft.	Completion date
·					7 Cable tool X Rotary Driven Dug	
				Hollow rod Jetted Bored Reverse rotary		
' X					8. Use: XDomestic Pu	blic supply Industry
<u>®</u> W					Irrigation Air conditioning Stock	
-					Lawn Oi 9. Casing: Material NONE	field water Other
					9. Casing: Material Threaded Welded	_ Height: Above or below
					RMP PVC	
ı→ 1 Mile → → 1					Dia in. to ft. dept	h!Wall Thickness: inches or
5. Type and color of	material		From	То	Dia in. to ft. dept	h gage No.
					10. Screen: Manufacturer's ne	ame
Top Soil - Dark				1	Туре	Dia
Olem Vallam			ı	8	Slot/gauze	Length
Clay - Yellow					Set between ft. a	
Sand & Clay - Yellow			8	15	Gravel pack? Size ran	· · · · · · · · · · · · · · · · · · ·
Lime - Brown Z			15	17	11. Static water level:	mo./day/yr.
JIIII II OWA					ft. below land surf	ace Date
Slate - Black				22	12. Pumping level below land	
2			20	24	ft. after h	rs. pumping g.p.m.
Lime - White			2 2	25	Estimated maximum yield —	
Shale	e - Blue	9	25	34	13. Water sample submitted:	
Time	Dansen /	0 1	311	1111	Yes No D	Date
Dime - Diomi					Pitless adapter Inches above grade	
Shale - Blue				54	15. Well grouted?	
Shale - Red				60	With: Neat cement	-
					Depth: From ft. to _	
					16. Nearest source of possible ft	• • • • • • • • • • • • • • • • • • •
DRY					Well disinfected upon complet	rion? Yes No
						Not installed
					Manufacturer's name Model number	
					Length of drop pipe	
		4-1940			Туре:	
			├ ──		Submersible	Turbine
	(Use a second si	neet if needed)			Jet Centrifugal	Reciprocating S
18. Elevation: 19. Remarks: Well filled to 20' with drill					20. Water well contractor's c	ertification:
cuttings, three sacks neat cement.				This well was drilled under my		
Topography: Filled to 2' of surface, two sacks of				is true to the best of my knowl	. 121	
Hill neat cement.					BREUER DRILLING	
X Slope					Address BOX 14(Basehor, Kansas
Upland					Signed Agricorized repr	Stantario Date
Valley				i	V-Again 1260 16pr	<u> </u>
orward the white, blu	ue and pink copies to the Department	of Health and Environment			•	Form WWC-5

the white, blue and pink copies to the Department of He