				WELL RECORD	Form W				•		
		TER WELL:	Fraction	NW 14 N	IW 1/4	Section Number			Range N		
		nworth	SW14] T 2	2 8 s	I R 22		
Distance a		from nearest town of					\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \				
	H(ancock La	natill,	HT. Leaver	nown	n, K5 (MW-2)		Monte		
2 WATER	R WELL OW	NER: USCOE	. 40 Bur	ns与MCDo	nnell	Weff Bir	ider)				
RR#, St.	Address, Bo	x#:10881	Lowell	•				f Agriculture, [Division of Wat	er Resources	
	, ZIP Code	: Overla	nd Park	, KS 662	10		Applicati	ion Number:			
3 LOCATI	E WELL'S L	OCATION WITH 4				# # FLEV					
→ AN "X"	IN SECTIO			ater Encountered							
. г	1			WATER LEVEL							
1 .	√ i ∣							, ,			
Pump test data: Well water was ft. after hours pu Est. Yield gpm: Well water was ft. after hours pu										٥.	
1 1	1	I Est	t. Yield	gpm: Well wat	er was .	ft. :	after	hours pu	mping	gpm	
ĕ w }		I Bo	re Hole Diamet	er 8 in. to		ft.,			. to		
2	!	I WE	ELL WATER TO	BE USED AS:		water supply	8 Air conditioni	ng 11	Injection well		
ī	sw	%	1 Domestic	3 Feedlot		d water supply	_		Other (Specify		
	1	%	2 Irrigation	4 Industrial	7 Lawn a	and garden only	Monitoring w	ell			
1 1	i	l Wa	as a chemical/ba	acteriological sample	submitted	to Department? \	/esNo	X; If yes,	mo/day/yr_san	nple was sub	
		s mit	ted			W	ater Well Disinfed	cted? Yes	No		
5 TYPE (OF BLANK (CASING USED:		5 Wrought iron	8 C	oncrete tile	CASING J	IOINTS: Glued	Clam	ped	
1 St		3 RMP (SR)		6 Asbestos-Cement	9 0	ther (specify belo			ed <u>.</u>	•	
(2)PV	/C	4 ABS		7 Fiberglass			•		aded. Yes		
		2"in.									
		and surface		n., weight							
				n., weight							
		R PERFORATION M		_ =		PVC		sbestos-ceme			
1 Steel 3 Stainless ste				5 Fiberglass		RMP (SR)					
2 Br		4 Galvanized		6 Concrete tile 9 ABS				lone used (op	,		
		RATION OPENINGS			zed wrapp	ed	8 Saw cut 11 None (open hole)				
1 Cc	ontinuous slo			ot 6 Wire wrapped			9 Drilled holes				
2 Lo	uvered shut	ter 4 Key p	ounched	7 Torc	h cut		10 Other (spec	cify)			
SCREEN-	PERFORAT	ED INTERVALS:	From	ft. to .		1.0'ft., Fro	om	ft. t	0	,	
			From	ft. to .		<u></u> ft., Fro	om	ft. t	0	ft.	
(GRAVEL PA	CK INTERVALS:	From	. O ft. to .		, S ft., Fro	om	ft. t	0		
			From	ft. to		ft., Fro	om	ft. to	0	ft.	
6 GROUT	T MATERIAL	.: 1 Neat cem	ent (2	Cement grout	<u>B</u>	Bentonite 4	Other				
Grout Inte		m © ft.			1,	ft. to3.4.					
What is th	e nearest so	ource of possible con	-		•		stock pens		bandoned water		
1 Septic tank 4 Lateral lin				7 Pit privy			•		il well/Gas wel		
2 Sewer lines 5 Cess poo				8 Sewage lagoon			11 Fuel storage				
3 Watertight sewer lines 6 Seepage						12 Fertilizer storage (16)Other (specify below)					
	•	ver lines 6 Seepage	pit	9 Feedyard			cticide storage		DUNCATION		
Direction f	T	· · · · · · · · ·	171101 0010 1		T ===		any feet?	PLUGGING II	UTEDVALO		
FROM	TO		LITHOLOGIC L		FRO	M TO		PLUGGING II	NIERVALS		
0	2.5	Dark gray									
2.5	11.5	Gray Bro									
11.5		Lt. brown	weather	ed Shalle						· · · · · · · · · · · · · · · · · · ·	
				1.00							
									·		
									·-		
	l	L									
7 CONTR	RACTOR'S	OR LANDOWNER'S	CERTIFICATIO	N: This water well v	vas (1) co	nstructed, (2) rec	enstructed: or (8) plugged und	ler my jurisdict	ion and was	
	on (mo/day		96			and this rec					
				This Water V	Vell Recor	d was completed	on (me/day/yr)	A-16/9			
	business na	me of And		NC.		by (signa					
		,_,			lease fill 1: 7:			- Jepa-	analan ta Ki		
		rpewriter or ball point pen. nent, Bureau of Water, Tope							copies to Kansas D	epariment	