	WATER W	VELL RECOR	D Form	ı WWC-	5 KSA 82a	a-1212			
1 LOCATION OF WATER WELL:	Fraction				tion Number		umber	Range I	Number
County: Leavenworth	NW 1/4	NW 1/4	NW 3	/4	13	T 8	S	R 22	ŒW
Distance and direction from nearest town	or city street add	ress of well if	located w	ithin city	?				
Disiplinary Barracks, Fort Leav	enworth, Kansa	as							
AT WATER WELL CHANED -	vironmental								
	lellan Ave.					Board of Agric	ulturo Divio	ion of Mator	Pagauraga
	zenan Ave. zenworth, Kansas 660	127				Board of Agric Application Nu		ion of vvater	Resources
Ony, Oldio, 21 Oddc .					A 51.51				
	DEPTH OF COMP								
N	epth(s) Groundwat								
T X I W	/ELL'S STATIC W/								
	Pump tes	t data: Well	water was	N	[Aft.a:	fter	hours pum	ping	gpm
NW NE E	st. Yield NA								
	ore Hole Diameter								
	ELL WATER TO E					8 Air conditionin		njection well	
_       "	1 Domestic	3 Feedlot				9 Dewatering	•	Other (Specify	, pelony
SW SE						10 Monitoring well			•
	2 Irrigation Vas a chemical/bad								
<b>V</b> 1 1 1 1		cteriological s	ample suc	mittea to					ımp <b>ış</b> was
3   -	ubmitted					ter Well Disinfect		No	<u> </u>
5 TYPE OF BLANK CASING USED:		Nrought iron		3 Concr				Clan	•
1 Steel 3 RMP (SR)	6 /	Asbestos-Cen	nent 9	Other	(specify belo	ow)	Welde	ed	• • • • • • • •
PVC 4 ABS	7 1	Fiberglass					Threa	ded🗸	
Blank casing diameter	in. to <b>35.</b> 5.	ft., Dia.		in. 1	to	ft., Dia		in. to	ft.
Casing height above land surface	<b>0</b> in	weight	Sch	1 40	lbs./	ft. Wall thickness	or gauge N	0	
TYPE OF SCREEN OR PERFORATION I		J		7)PV			estos-ceme		
1 Steel 3 Stainless s		Fiberglass	,		P (SR)		-		
2 Brass 4 Galvanized		Concrete tile		9 AB			ne used (ope		
2 Brass 4 Galvanized SCREEN OR PERFORATION OPENINGS			Saa.ala		3			•	
			Sauzed wr			8 Saw cut		11 None (op	en noie)
1 Continuous slot 3 Mill			Vire wrapp	pea		9 Drilled holes			
	punched		orch cut			10 Other (specify			
SCREEN-PERFORATED INTERVALS:	From 3.5.								
						om			
GRAVEL PACK INTERVALS:	From 32.								
	From	ft	to		ft, Fr	om	ft. 1	to	ft.
6 GROUT MATERIAL: 1 Neat ce	ment 2 C	ement grout		3 Bento	nite 4	Other			
Grout Intervals: From 3 f		_							
What is the nearest source of possible c						stock pens		andoned wat	
		7 Dit priva						l well/Gas wel	
1 Septic tank 4 Lateral		7 Pit priv			11 Fuel	_	_		
2 Sewer lines 5 Cess p		8 Sewage	-			lizer storage		her (specify I	
3 Watertight sewer lines 6 Seepag	je pit	9. Feedya	ara			cticide storage	∴ St	oddard Sol	vent Tan
Direction from well? W				~~~		ny feet? 450		· · · · · · · · · · · · · · · · · · ·	
FROM TO	LITHOLOGIC LOC	<del></del>		ROM	10		UGGING IN	TERVALS	
0 1.5 Silt, Dark Gray						•			
1.5 3.5 Limestone Brid	k Fill,								
3.5   15.5   Silt, Brown									
15.5 32 Dilt, Yellow Bro	own								
32 53 Silt, Brown									
53 56 Silt, Light Yello	w Brown				<del> </del>				
33 30 Sitt, Light Tent	THE DICTION								
							<del> </del>		

DBM18, Tag #, Flushmount
Project Name: BM - Ft. Leavenworth

GeoCore # 648, #

×

×

×