

279

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Leavenworth	Fraction SE SW 1/4 SW 1/4 NE 1/4	Section number 28	Township number 8	Range number 22
2. Distance and direction from nearest town or city: 1 mile west of Leavenworth				3. Owner of well: Gilbert Griffe R.R. or street: RR.1 box 1 City, state, zip code: Leavenworth, Ks. 66048		
4. Locate with "X" in section below:		Sketch map:			6. Bore hole dia. 8 in. Completion date 10-13-79 Well depth 100 ft.	
					7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		9. Casing: Material plastic Height: Above or below 12 in. Threaded <input checked="" type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP 6 1/4 PVC <input checked="" type="checkbox"/> Weight 1971.5 lbs./ft. Dia. 4 1/2 in. to 41 ft. depth Wall Thickness 1/2 in. or Dia. 2 in. to 100 ft. depth gage No. 4 #1/200				
5. Type and color of material		From	To	10. Screen: Manufacturer's name Johnson Type plastic Dia. 4 in. Slot/gauze .012 Length 5 ft. Set between 40 ft. and 45 ft. Gravel pack? yes Size range of material 1/4 x 1/8		
surface		0	2	11. Static water level: 29 ft. below land surface Date 10-13-79		
clay(yellow)		2	25	12. Pumping level below land surfaces: ____ ft. after ____ hrs. pumping ____ g.p.m. ____ ft. after ____ hrs. pumping ____ g.p.m. Estimated maximum yield 1 g.p.m.		
clay(grey, trace of gravel)		25	35	13. Water sample submitted: ____ mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date ____		
sandstone (brown)		35	41	14. Well head completion: 12 inches above grade Pitless adapter <input type="checkbox"/> Pitless adapter <input checked="" type="checkbox"/>		
shale(grey)		41	55	15. Well grouted? yes With <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 15 ft. to 5 ft.		
sandstone(lt grey)		55	65	16. Nearest source of possible contamination: 200 ft. Direction east Type septic Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
shale (grey)		65	68	17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name ____ Model number ____ HP ____ Volts ____ Length of drop pipe ____ ft. capacity ____ g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
sandstone(lt grey)		68	80	20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. F.E.Young Drilling Co., Inc. 240 Business name 6355 Robinhood Ln. Merriam Address 6355 Robinhood Ln. Merriam Signed David Young Date 11/12/79 Authorized Representative		
shale (grey)		80	100			
BR = 885 $\frac{1}{2}$ = 891						
(Use a second sheet if needed)						
18. Elevation: 920 Topography: <input checked="" type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley		19. Remarks: Customer is aware of state regulation and agrees to install a 4' square re-enforced concrete platform around top of well. X				

customer is aware state regulation requiring 4' square concrete platform around top of well and will install same