USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors)

\$W						Topeka, Kansas 66620		
1. Location of well:	County Leavenworth	Fraction SW 1/4 S	E,,,	Section	number	Township number	Range number	- A.
	ction from nearest town or city:		3. Ow	ner of well	: .īe/	ck Allen Eisenhower	S R ELL	E/W
	l location if in city:			tate, zip		Lansing, Ks.		
B. Locate with "X" in section below:  N						6. Bore hole dia. 160ft. Completion date		
1	1					7 Cable tool Rot		
NW NE						Hollow rod Jetted Bored Reverse rotar  8. Use: Domestic Public supply Industry		
w i i E						Irrigation Air conditioning Stock Lawn Oil field water Other		
sw	SE	1				9. Casing: Material PV		
	<b>x</b> ,					Threaded Welded _	X Surface 12	ir
1 <u>N</u> 1 M	ile ———					PVC Dia. 5 in. to 160 ft.	depth Wall Thickness: in	nches or
. Type and color of	material Well#	/		From	То	Dia in. to ft.		
lay (yell	ow)			0	23	10. Screen: Manufacture		
shale sandstone	and shale	-		23 55	55 60	Type plastic Slot/guke 1/16	Dia. <u>5"</u> Length <b>120</b> !	
shale (black)				<del>  60  </del>	63	Set between 20	ft. and140 '	f
hele (bla	ck)			63   <del>70</del>	70' 75	Gravel pack?		1/8
sindstone/shale				75	81	11. Static water level:  ft. below land	surface Date 7/2	2779
shale	250016			81 87	87 89	12. Pumping level below	land surfaces:	
san <del>dstone</del> shale				89	97	ft. after		
sandstone				97	135 152	Estimated maximum yield		g.p.m
shale			_	152	160	13. Water sample submitte	ed: mo Date	./day/yı
						14. Well head completion	40	
all grey, unless otherwise noted.						Pitless adapter  15. Well grouted?	12 Inches above	grade
waiting to install pump						With: Neat cement	Bentonite	Concrete
Cust	1 1	11 1 111	14			Depth: From 10 ft.		
Casil	mer insia	HEA MINISC	. / /			ft. 300 Direction Well disinfected upon cor	<b>NW</b> Type <b>S</b>	<u>eptic</u>
				-		17. Pump:	X Not installed	<u> </u>
				1		Manufacturer's name Model number	HP Vo	olts
						Length of drop pipe	-	
						Type: Submersible	Turbin	ie
	(I lea a second	sheet if needed)				Jet Centrifugal	Recipr	ocating
18. Elevation: 19. Remarks: Customer is aware of state Regulation						20. Water well contracto	r's certification:	
930 🛱	and arrest	aware at State	Reg	ula të	on	This well was drilled under is true to the best of my k		s report
Topography:	and agrees to i	nsiall a 4 s	8491	e		F.E. Young Dri	lling Co. In	
Hill Slope	4	ab No	00.			Business name 355 Ro	binhood Ln. "	cense No
Upland Valley	1	W.	M			Signed Authorized	representative Date	J <u>I-1-7</u>
	ue and pink copies to the Department	t of Health and Environment					Form WV	WC- <b>5</b>
	BR =907							ν
		_ 0 ( -						•