		MW54R -						
WATER WELL RECORD		Form WWC-5		Di	Division of Water Resources App. No.			
1 LOCATION OF WA	1 1	Fraction		Secti	on Number	Township No.		
County: County	worth	1/545 1/NE	14 06 1	4 6	27	T 8 S		
Street/Rural Address of Well Location; if unknown, distance & direction				Globa	al Positioning	System (GPS) in	nformation:	
from nearest town or intersection: If at owner's address, check here					ritude 094.	56 59.31 W	nformation: (in decimal degrees) (in decimal degrees)	
					Elevation: <u>Datum</u> :			
2 WATER WELL OWNER: Federal Couldtions Just. RR#, Street Address, Box #: 1300 Metropolitian Aul.					Collection Method:			
					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	OLSU	enworth, Ks	018علما .] 5-15 m,	
3 LOCATE WELL	A DEPTH OF	COMBI ETER WEI	- 28 /		Δ			
WITH AN "X" IN SECTION BOX:								
N	WELL'S STATIC WATER LEVE 9.3.3ft. below land surface measured on mo/day/yr: \$1.1.1							
	Pump test data: Well water wastt. after hours pumpinggpi							
EST. YIELDgpm, Well water wasft. after hours pumping							nping gpm	
W E		Bore Hole Diameter 8.62in. toft., andin. toft. VELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
	Domestic	☐ Feedlot ☐	Oil field wa	ter suppl	v \square De	watering \square	Other (Specify below)	
SW SE	☐ Irrigation							
		bacteriological sampl	e submitted	to Depar	tment?			
S If yes, mo/day/yr sample was submitted								
water well districted: 1 Tes 2 No								
5 TYPE OF CASING USED: Steel PVC Other								
Casing diameter 2.3.75 in. to 2.5 ft., Diameter ft., Diameter ft., Diameter ft.								
Casing height above land surface. 27:t. in., Weight								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.								
From ft to ft From ft to ft								
From								
From ft. to ft., From, ft. to ft.								
6 GROUT MATERIAL: □ Neat cement □ Cement grout ☑ Bentonite ☑ Other WALL								
Grout Intervals: From								
Septic tank		nes Pit privy	Livestock	pens	☐ Insecticide	storage Oth	her (specify below)	
☐ Sewer lines	Cesspool	Sewage lagoon	☐ Fuel stora	ge	Abandoned	water well		
Watertight sewer l		oit 🗌 Feedyard	Fertilizer		☐ Oil well/ga ell			
Direction from well FROM TO	LITHOLOG	IC LOG	FROM	TO			JGGING INTERVALS	
		ie run sal		10	DITTIO. DO	oo (cont.) or 1 Ec	700ING INTERVALS	
	14		, (e					
4.0 25.0 Rus	gents Bin	May Williams	MADO;	fun				
MOU	20	in Promoto	h 1: 10	s la a Da				
25.0 30.0 yell		in Brusa	MULLI.	chale	<u> </u>			
30.0 38.0 Kg	12-Blues	VALLEVALIA	1/200	KINA	h	100		
Tisi	nd course	my mayey.	vace,	TOWK				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year).								
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year) 4								
under the business name of BEAULON HAT, al. by (signature) a mas Bucker								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
(white, blue, pink) to Kansas I Telephone 785-296-5522. See								
http://www.kdheks.gov/waterw		United the contract of the	7	,	1000 100		Tion us at	
KSA 82a-1212								