County: County		ATER WELL:	Fraction		1 000			1	Danas N	h makar
Distance an 813/823	78			, GEET =	1	tion Numbe			Range N	
813/823 S WATER			NE ½		1W 1/4	8	T 8	S	R 3	_ (E) V_
			own or city stree	t address of well if loo	cated within city	?				
		WNER: Kwik C								
₹R#, St. Ad	ldress, Bo	x# : 813/823	South 6th St	treet			Board of Agricult	ure, Divis	on of Water	Resources
City, State, 2	ZIP Code	Clay Co					Application Numb			
LOCATE	WELL'S	LOCATION					VATION:			
WIHAN		ECTION BOX: N	Depth(s) Grour	ndwater Encountered	1	f	t. 2	ft. 3	3	ft
<u> </u>	Ţ						surface measured on			
			Pun	np test data: Well wa	aterwasN	A ft.	after	ours pum	ping	gpm
	- X	NE	Est. Yield N	🛕 gpm: Well wa	aterwas	ft.	after	ours pum	ping	gpm
<u>₽</u>	1	1	Bore Hole Dian	neter 8 in.	to	ft.,	and	in.	to	ft.
₹ W ├─	- 	E	WELL WATER	TO BE USED AS:	5 Public water	supply	8 Air conditioning	11 I	njection well	
,	1	1	1 Domestic	3 Feedlot	6 Oil field water	r supply	9 Dewatering	12 (Other (Specify	/ below)
	- SW	SE	2 Irrigation	4 Industrial	7 Lawn and ga	rden only	10 Monitoring well			
<u>.</u>	i	į	Was a chemic	al/bacteriological sam	nple submitted to	Departme	nt? YesNo.v	.; If yes,	mo/day/yr sa	mple was
<u>'</u>	.1	S S	submitted			V	ater Well Disinfected	? Yes	No	✓
TYPE OF	F BLANK	CASING USED:		5 Wrought iron	8 Concr	ete tile	CASING JOIN	ΓS: Glued	Clan	nped
1 Stee		3 RMP (SF	₹)	6 Asbestos-Cemer		(specify be			d	•
(2)PV		4 ABS	•	7 Fiberglass		` ' '			ded √	
							ft., Dia		in. to	ft.
							./ft. Wall thickness or			
		R PERFORATION		,	7)PV	3	10 Asbes			
1 Stee		3 Stainless		5 Fiberglass	8 RM					
2 Bras		4 Galvaniz		6 Concrete tile	9 ABS		12 None			
		RATION OPENIN			عمر و uzed wrapped	,			11 None (op	oen hole)
	ntinuous s				e wrapped		9 Drilled holes	*	ii ivolie (op	en noie)
			ey punched	7 Tore	• •		10 Other (specify)			
	ivered sh	utter 4 N TED INTERVALS:				A 5	rom			
CREEN-PE	ERFORA	IED INIERVALS.								
GE	ρΔ\/EI D/	ACK INTERVALS:						10.		
GIV	VV LL I /	TOTAL TITLE TO THE OF	110111	ZI ft to						
						ft., F	rom	ft. 1	:0	ft
I opoliti	MATERIA	L. 1 Noot	From	ft. to	38	ft., F	rom	ft. f	:0	ft ft
GROUT	MATERIA	L: 1 Neat	From cement	Cement grout	38	ft., F ft., F	rom	ft. !	:o	ft
 Grout Inter∨a	als: Fro	m <u>0</u>	From cement ft. to 19	Cement groutft., From	38	ft., F ft., F nite	rom	ft. 1	. ft. to	ft ft ft
Grout Intervo What is the	als: Fro nearests	m 0 source of possible	From	2 Cement grout ft., From	38	ft., F ft., F nite to 21 10 Liv	rom	ft. f	o	ft ft ft er well
Grout Intervo What is the 1 Septic	als: Fro nearests tank	m 0 source of possible 4 Later	From	2 Cement grout ft., From 7 Pit privy	38 3Bento 19 ft.	ft., F ft., F nite to21 10 Liv	rom	ft. ft. ft. ft. ft. ft. ft. ft. ft.	o	
Grout Interva What is the 1 Septic 2 Sewer	als: Fro nearests tank r lines	m 0 source of possible 4 Later 5 Cess	From	2 Cement groutft., From 7 Pit privy 8 Sewage la	38	ft., F ft., F nite to 21 10 Liv 11 Fud 12 Fel	from	ft. ft. ft. ft. ft. ft. ft. ft. ft.	o	
Grout Interva What is the 1 Septic 2 Sewer 3 Water	als: Fro nearest s tank r lines rtight sew	m 0 source of possible 4 Later 5 Cess	From	2 Cement grout ft., From 7 Pit privy	38	ft., F ft., F nite to21 10 Liw 11 Fud 12 Fet 13 Ins	rom	ft. ft. ft. ft. ft. ft. ft. ft. ft.	o	
Grout Intervant Intervant Interval Nhat is the 1 Septic 2 Sewer 3 Water Direction from	als: Fro nearest s tank r lines tight sew om well?	m 0 source of possible 4 Later 5 Cess	From	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard	38 Bento ft.	ft., Fft., F nite to21 10 Liv 11 Fue 12 Fet 13 Ins How m	from	14 Ab	. ft. to andoned wate well/Gas well ner (specify b	
Grout Intervention What is the 1 Septic 2 Sewer 3 Water Direction fro	als: Fro nearest s c tank r lines rtight sew om well?	m 0	From	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard	38	ft., F ft., F nite to21 10 Liw 11 Fud 12 Fet 13 Ins	from	14 Ab	o	
Orout Intervention of the Control of	als: From nearest so tank r lines rtight sew om well?	m 0	From	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard	38 Bento ft.	ft., Fft., F nite to21 10 Liv 11 Fue 12 Fet 13 Ins How m	from	14 Ab	. ft. to andoned wate well/Gas well ner (specify b	
Grout Interval. What is the Septic Sewer Water Water FROM O 4	rals: From nearest so tank r lines ratight sew som well?	source of possible 4 Later 5 Cess er lines 6 Seep Silt, Dark Bro	From	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard	38 Bento ft.	ft., Fft., F nite to21 10 Liv 11 Fue 12 Fet 13 Ins How m	from	14 Ab	. ft. to andoned wate well/Gas well ner (specify b	
Grout Interval. What is the 1 Septic 2 Sewer 3 Water Direction fro FROM 0 4 10	als: Fro nearest s tank r lines rtight sew om well? TO 4 10 14	m 0	From	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard	38 Bento ft.	ft., Fft., F nite to21 10 Liv 11 Fue 12 Fet 13 Ins How m	from	14 Ab	. ft. to andoned wate well/Gas well ner (specify b	
Orout Interval What is the 1 Septic 2 Sewer 3 Water Direction from 0 4 10 14	als: Fro nearest set tank r lines tight sew om well? TO 4 10 14 16	m 0	From	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard	38 Bento ft.	ft., Fft., F nite to21 10 Liv 11 Fue 12 Fet 13 Ins How m	from	14 Ab	. ft. to andoned wate well/Gas well ner (specify b	
Orout Interval What is the 1 Septic 2 Sewer 3 Water Direction from 0 4 10 14 16	als: Fro nearest so tank r lines tight sew om well? TO 4 10 14 16 18	source of possible 4 Later 5 Cesser lines 6 Seep Silt, Dark Br. Clayey Silt, I Silt, Brown Silt, Brown Silt, Brown	From	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard	38 Bento ft.	ft., Fft., F nite to21 10 Liv 11 Fue 12 Fet 13 Ins How m	from	14 Ab	. ft. to andoned wate well/Gas well ner (specify b	
Grout Interval. What is the Septic Sewer Water	als: Fro nearest so tank r lines tight sew om well? TO 4 10 14 16 18 21	source of possible 4 Later 5 Cesser lines 6 Seep Silt, Dark Bro Clayey Silt, I Silt, Brown Silt, Brown Silt, Brown Silt, Brown	From	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard	38 Bento ft.	ft., Fft., F nite to21 10 Liv 11 Fue 12 Fet 13 Ins How m	from	14 Ab	. ft. to andoned wate well/Gas well ner (specify b	
Grout Interval Mhat is the 1 Septic 2 Sewer 3 Water Direction from 0 4 10 14 16 18 21	als: Fro nearest so tank r lines tight sew om well? TO 4 10 14 16 18 21 24	m 0 Source of possible 4 Later 5 Cess er lines 6 Seep Silt, Dark Br Clayey Silt, I Silt, Brown Silt, Brown Silt, Brown Silt, Brown Silt, Brown	From	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard	38 Bento ft.	ft., Fft., F nite to21 10 Liv 11 Fue 12 Fet 13 Ins How m	from	14 Ab	. ft. to andoned wate well/Gas well ner (specify b	
Grout Interval. What is the Septic Sewer Water	als: Fro nearest set tank r lines tight sew om well? TO 4 10 14 16 18 21 24 25	m 0 Source of possible 4 Later 5 Cess er lines 6 Seep Silt, Dark Br Clayey Silt, I Silt, Brown Silt, Brown Silt, Brown Silt, Brown Silt, Light Gr Silt, Light Gr	From	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard	38 Bento ft.	ft., Fft., F nite to21 10 Liv 11 Fue 12 Fet 13 Ins How m	from	14 Ab	. ft. to andoned wate well/Gas well ner (specify b	
Grout Interval Mhat is the 1 Septic 2 Sewer 3 Water Direction from 0 4 10 14 16 18 21	als: Fro nearest so tank r lines tight sew om well? TO 4 10 14 16 18 21 24	m 0 Source of possible 4 Later 5 Cess er lines 6 Seep Silt, Dark Br Clayey Silt, I Silt, Brown Silt, Brown Silt, Brown Silt, Brown Silt, Brown	From	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard	38 Bento ft.	ft., Fft., F nite to21 10 Liv 11 Fue 12 Fet 13 Ins How m	from	14 Ab	. ft. to andoned wate well/Gas well ner (specify b	
Grout Interval What is the 1 Septic 2 Sewer 3 Water Direction from 0 4 10 14 16 18 21 24	als: Fro nearest set tank r lines tight sew om well? TO 4 10 14 16 18 21 24 25	m 0 Source of possible 4 Later 5 Cess er lines 6 Seep Silt, Dark Br Clayey Silt, I Silt, Brown Silt, Brown Silt, Brown Silt, Brown Silt, Light Gr Silt, Light Gr	From	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard	38 Bento ft.	ft., Fft., F nite to21 10 Liv 11 Fue 12 Fet 13 Ins How m	from	14 Ab	. ft. to andoned wate well/Gas well ner (specify b	
Grout Interval. What is the 1 Septic 2 Sewer 3 Water Direction fro FROM 0 4 10 14 16 18 21 24 25	als: Fro nearest set tank r lines tight sew om well? TO 4 10 14 16 18 21 24 25 26	source of possible 4 Later 5 Cesser lines 6 Seep Silt, Dark Br. Clayey Silt, I Silt, Brown Silt, Brown Silt, Brown Silt, Brown Silt, Light Gr Sand, Tan	From	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard	38 Bento ft.	ft., Fft., F nite to21 10 Liv 11 Fue 12 Fet 13 Ins How m	from	14 Ab	. ft. to andoned wate well/Gas well ner (specify b	
Grout Interval. What is the 1 Septic 2 Sewer 3 Water Direction fro FROM 0 4 10 14 16 18 21 24 25	als: Fro nearest set tank r lines tight sew om well? TO 4 10 14 16 18 21 24 25 26	source of possible 4 Later 5 Cesser lines 6 Seep Silt, Dark Br. Clayey Silt, I Silt, Brown Silt, Brown Silt, Brown Silt, Brown Silt, Light Gr Sand, Tan	From	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard	38 Bento ft.	ft., Fft., F nite to21 10 Liv 11 Fue 12 Fet 13 Ins How m	from	14 Ab	. ft. to andoned wate well/Gas well ner (specify b	
Grout Interval. What is the 1 Septic 2 Sewer 3 Water Direction fro FROM 0 4 10 14 16 18 21 24 25	als: Fro nearest set tank r lines tight sew om well? TO 4 10 14 16 18 21 24 25 26	source of possible 4 Later 5 Cesser lines 6 Seep Silt, Dark Br. Clayey Silt, I Silt, Brown Silt, Brown Silt, Brown Silt, Brown Silt, Light Gr Sand, Tan	From	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard	38 Bento ft.	ft., Fft., F nite to21 10 Liv 11 Fue 12 Fet 13 Ins How m	from	14 AL 15 Oi 16 Oc	. ft. to	
Grout Interval. What is the 1 Septic 2 Sewer 3 Water Direction fro FROM 0 4 10 14 16 18 21 24 25	als: Fro nearest set tank r lines tight sew om well? TO 4 10 14 16 18 21 24 25 26	source of possible 4 Later 5 Cesser lines 6 Seep Silt, Dark Br. Clayey Silt, I Silt, Brown Silt, Brown Silt, Brown Silt, Brown Silt, Light Gr Sand, Tan	From	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard	38 Bento ft.	ft., Fft., F nite to21 10 Liv 11 Fue 12 Fet 13 Ins How m	rom	14 AL 15 Oi 16 Ot 36 GING IN	. ft. to	
Grout Interval. What is the 1 Septic 2 Sewer 3 Water Direction fro FROM 0 4 10 14 16 18 21 24 25	als: Fro nearest set tank r lines tight sew om well? TO 4 10 14 16 18 21 24 25 26	source of possible 4 Later 5 Cesser lines 6 Seep Silt, Dark Br. Clayey Silt, I Silt, Brown Silt, Brown Silt, Brown Silt, Brown Silt, Light Gr Sand, Tan	From	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard	38 Bento ft.	ft., Fft., F nite to21 10 Liv 11 Fue 12 Fet 13 Ins How m	rom	14 Ab 15 Oi 16 Ot 3GING IN	. ft. to	
Grout Interval. Grout Interval. What is the 1 Septic 2 Sewer 3 Water Direction from 10 14 16 18 21 24 25 26	als: Fro nearest set tank r lines tight sew om well? TO 4 10 14 16 18 21 24 25 26 38	m 0 Source of possible 4 Later 5 Cess er lines 6 Seep Silt, Dark Br Clayey Silt, I Silt, Brown Silt, Brown Silt, Brown Silt, Brown Silt, Light Gr Sand, Tan Sand, Tan	From	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard	3Bento 19 ft.	ft., Fft., Fft.	rom	14 Ab 15 Oi 16 Ot 36 Flush 1 W - Kwi E # U5 01	to	ft
Grout Interval What is the 1 Septic 2 Sewer 3 Water Direction from 10 14 16 18 21 24 25 26 CONTRA	als: Fro nearest set tank r lines tight sew om well? TO 4 10 14 16 18 21 24 25 26 38	source of possible 4 Later 5 Cess er lines 6 Seep Silt, Dark Br Clayey Silt, I Silt, Brown Silt, Brown Silt, Brown Silt, Brown Silt, Light Gr Sand, Tan Sand, Tan	From cement	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG	3Bento 19 ft. ft.	10 Living 12 Fel 13 Ins How m	rom	26 , Flush Lugged und	to	ction
Grout Interval. What is the 1 Septic 2 Sewer 3 Water Direction from 0 4 10 14 16 18 21 24 25 26 CONTRA	als: From nearest sectank relines tight sew om well? TO 4 10 14 16 18 21 24 25 26 38	source of possible 4 Later 5 Cesser lines 6 Seep Silt, Dark Brock Clayey Silt, I Silt, Brown Silt, Brown Silt, Brown Silt, Brown Silt, Light Gr Sand, Tan Sand, Tan OR LANDOWNEF In (mo/day/year)	From cement	Cement grout 7 Pit privy 8 Sewage la 9 Feedyard LOG TION: This water well 4/29/96	3Bento 19 ft. was (1) constru	interior ft., Fronte for 21 and this	rom	26, Flush Lugged underst of my	to	ction

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.