WATER WELL RECORD			Form WWC-5			Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:			Fraction		Section	on Number	Township No.	Range Number	
County: CLAY			1/45E 1/4NE	1/4 5B 1/4		16_	т В S	R 3 ZE □W	
	Street/Rural Address of Well Location; if unknown, distance & direction					ll Positioning	System (GPS) in	formation:	
from nearest town or intersection: If at owner's address, check here .						Latitude:			
						Elevation: 1269			
CHARLE CHARLE CHARLE						<u>Datum</u> : ₩GS 84, □ NAD 83, □ NAD 27			
2 WATER WELL OWNER: CHRIS HAUSEAMIN					Collec	Collection Method: CPGPS unit (Make/Model: CAMMAN PATILLY)			
RR#, Street Address, Box #: 208 WEBSTER City, State, ZIP Code : 2 4 4 4 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	, 5.0.0, 2	"CLAY C	ENTER, KS. 67	432	Est. A	ccuracy: \square	3 m, 35 m,	5-15 m, □ >15 m	
3 LOCATE WELL									
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)								2) —	
SEC.	SECTION BOX: Depth(s) Groundwater Encountered (1)								
Pump test data: Well water wasft. after hours pumping							oinggpm		
'	 N N	EST. YIELD. 🥖	gpm. Well water wasft. after hours pumpinggpm						
$ \mathbf{w} $	"	E Bore Hole Diam	eter 10 in to 120 ft., and in to ft.						
			ΓΟ BE USED AS: □ Public water supply □ Geothermal □ Injection well □ Feedlot □ Oil field water supply □ Dewatering □ Other (Specify below)						
SV								Other (Specify below)	
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well							***************************************		
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected? Yes \(\square\) No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in to									
Casing diameter									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From									
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: Neat cement Cement grout Sentonite Other									
Grout Intervals: From									
	Septic tank								
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel stora ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer						Abandoned	1 V: .	WCONSKIRMON	
_	_	nt sewer tines 🔛 Seepage p	it Feedyard	☐ Fertilizer st. Distance	-	∐ Oil well/ga -11	s well 7.47.7.		
FROM	TO	LITHOLOG	IC LOG	FROM	TO		OG (cont.) or PLU	GGING INTERVALS	
0	6	CLAY	 						
6		SWALR.							
10	11	LTMESTONE				- III - III - I			
11	38	SHALL GREEN	GRAY						
38	49	LINBSTUNE		+					
3,	109	10 mestone	Tokal W as						
109	120	SIAME CARL	They Have	 					
		SHIPPLY SIGNY							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ★constructed, □ reconstructed, or □ plugged									
under my jurisdiction and was completed on (mo/day/year) . 3.30.7.20 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No 260 This Water Well Record was completed on (mo/play/year) . 5.73									
under the business name of ASSOCIATION OF A COLUMN by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies									
(white, bl	ue, pink) t	o Kansas Department of Health	and Environment, Bureau	of Water, Geole	ogy Section	on, 1000 SW Jac	ckson St., Suite 420,	Topeka, Kansas 66612-1367.	
		5522. Send one copy to WAT ov/waterwell/index.html.	ER WELL UWNER and	retain one for y	our recor	us. include <u>fee</u>	or solution each c	onstructed well. Visit us at	
KSA 82a-1212									