

1 LOCATION OF WATER WELL
 County: Clay Fraction NW 1/4 SW 1/4 NW 1/4 Section Number 7 Township Number T 8 S Range Number R 3 E

Distance and direction from nearest town or city? 1/4 South of West edge of Clay Center Street address of well if located within city?

2 WATER WELL OWNER: Harold Haake
 RR#, St. Address, Box #: Route # 1 Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: Clay Center, Kansas 67432 Application Number:

3 DEPTH OF COMPLETED WELL: 54 ft. Bore Hole Diameter: 8 in. to 54 ft. and in. to ft.
 Well Water to be used as:
 1 Domestic 2 Irrigation 3 Feedlot 4 Industrial 5 Public water supply 6 Oil field water supply 7 Lawn and garden only 8 Air conditioning 9 Dewatering 10 Observation well 11 Injection well 12 Other (Specify below)
 Well's static water level: 19 ft. below land surface measured on July month 10 day 1980 year
 Pump Test Data: Well water was 35 ft. after 1/2 hours pumping 30 gpm
 Est. Yield 100 gpm: Well water was ft. after hours pumping gpm

4 TYPE OF BLANK CASING USED:
 1 Steel 2 PVC 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below)
 Casing Joints: Glued Clamped Welded Threaded
 Blank casing dia: 5 in. to 44 ft. Dia 3 in. to ft. Dia in. to ft.
 Casing height above land surface: 12 in., weight lbs./ft. Wall thickness 0.258
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 2 Brass 3 Stainless steel 4 Galvanized steel 5 Fiberglass 6 Concrete tile 7 PVC 8 RMP (SR) 9 ABS 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)
 Screen or Perforation Openings Are:
 1 Continuous slot 2 Louvered shutter 3 Mill slot 4 Key punched 5 Gauzed wrapped 8 Saw cut 6 Wire wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)
 Screen-Perforation Dia: 5 in. to ft. Dia in. to ft. Dia in. to ft.
 Screen-Perforated Intervals: From 44 ft. to 54 ft. From ft. to ft. From ft. to ft. From ft. to ft.
 Gravel Pack Intervals: From 14 ft. to 54 ft. From ft. to ft. From ft. to ft. From ft. to ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grouted Intervals: From 4 ft. to 14 ft. From ft. to ft. From ft. to ft. From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 2 Sewer lines 3 Lateral lines 4 Cess pool 5 Seepage pit 6 Pit privy 7 Sewage lagoon 8 Feed yard 9 Livestock pens 10 Fuel storage 11 Fertilizer storage 12 Insecticide storage 13 Watertight sewer lines 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
 Direction from well: None How many feet? Water Well Disinfected? Yes No
 Was a chemical/bacteriological sample submitted to Department? Yes No If yes, date sample was submitted month day year: Pump Installed? Yes No
 If Yes: Pump Manufacturer's name Model No. HP Volts
 Depth of Pump Intake ft. Pumps Capacity rated at gal./min.
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on July month 10 day 1980 year and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 361
 This Water Well Record was completed on July month 26 day 1980 year under the business name of Cox - Beswick Irrigation Service, Inc. by (signature) Francis Cox

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	FROM		TO		LITHOLOGIC LOG		FROM		TO		LITHOLOGIC LOG	
	0	8	8	16	Top soil & clay							
	8	16	16	32	Sandy clay							
	16	32	32	54	Sand							
	32	54	54		Gravel							
	54				Shale							

ELEVATION: _____
 Depth(s) Groundwater Encountered 1... 32... ft. 2... ft. 3... ft. 4... ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

NW 1/4 SW 1/4 NE 1/4 SE 1/4