

1787  
 WW708

1 LOCATION OF WATER WELL: County: **CLAY** Fraction: **SW 1/4 SW 1/4 SE 1/4** Section Number: **22** Township Number: **T 8 S** Range Number: **R 4 EW**

Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER: **LEW ANN SCHNEIDER**  
 RR#, St. Address, Box #: **1721 VERGLAND DR.**  
 City, State, ZIP Code: **CLAY COUNTY, KS. 67432**  
 Board of Agriculture, Division of Water Resources  
 Application Number: \_\_\_\_\_

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N			
--NW--			--NE--
W			E
--SW--			--SE--
S			

4 DEPTH OF COMPLETED WELL: **180** ft. ELEVATION: \_\_\_\_\_  
 Depth(s) Groundwater Encountered: **138** ft. 2 **153** ft. 3 \_\_\_\_\_ ft.  
 WELL'S STATIC WATER LEVEL: **138** ft. below land surface measured on mo/day/yr **9/22/04**  
 Pump test data: Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm  
 Est. Yield: **10** gpm; Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm  
 WELL WATER TO BE USED AS:  
 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes \_\_\_\_\_ No ; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes  No

5 TYPE OF BLANK CASING USED:  
 1 Steel  PVC 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) CASING JOINTS: Glued  Clamped \_\_\_\_\_  
 Welded \_\_\_\_\_ Threaded \_\_\_\_\_  
 Blank casing diameter: **5** in. to **160** ft., Dia \_\_\_\_\_ in. to \_\_\_\_\_ ft., Dia \_\_\_\_\_ in. to \_\_\_\_\_ ft.  
 Casing height above land surface: **24** in., weight \_\_\_\_\_ lbs./ft. Wall thickness or guage No. **SDR21**  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 2 Brass 3 Stainless Steel 4 Galvanized Steel 5 Fiberglass 6 Concrete tile 8 RMP (SR) 9 ABS 10 Asbestos-Cement 11 Other (Specify) \_\_\_\_\_ 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot 2 Louvered shutter 3  Mill slot 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) \_\_\_\_\_ 11 None (open hole)  
 SCREEN-PERFORATED INTERVALS: From **160** ft. to **180** ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 GRAVEL PACK INTERVALS: From **25** ft. to **180** ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3  Bentonite 4 Other \_\_\_\_\_  
 Grout Intervals: From **3** ft. to **25** ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below) **MIDDLE OF PASTURE**  
 Direction from well? \_\_\_\_\_ How many feet? \_\_\_\_\_

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	8	CLAY	154	162	LIMESTONE
8	24	SHALE, BROWN	162	175	SHALE, GRAY
24	25	LIMESTONE	175	180	LIMESTONE
25	52	SHALE, GRAY, RED, GRAY			
52	63	LIMESTONE			
63	71	SHALE, GRAY			
71	72	LIMESTONE			
72	89	SHALE, BROWN TO RED			
89	91	LIMESTONE			
91	115	SHALE, RED TO BROWN			
115	125	LIMESTONE			
125	142	SHALE, GRAY, RED, BROWN			
142	153	LIMESTONE, HSD			
153	154	SHALE, GRAY			

RECEIVED  
 NOV 19 2004  
 BUREAU OF WATER

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **9/22/04** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No **505** This Water Well Record was completed on (mo/day/yr) **10/22/04** under the business name of **ASSOCIATED PLUMBING CONTRACTORS INC** by (signature) \_\_\_\_\_