WATEI	R WELI	RECORD	Form WWC	-5	Division of V	Water I	Resources; App. No.	
1 LOC	ATION O	F WATER WELL:	Fraction		Section Numb	- 1	Township Number T 8 S	Range Number R 4 EW
Dicto	naa and di	rection from nearest town o	r city street address of w	ell if	Global Positioning Systems (decimal degrees, min. of 4 digits)			
located within city? FROM LEANARD VELVE: 6.5 MPLRS WRY					Latitude: 39 20.157			
2 MALES SOUTH /2 WEST /2 NORTH.					Longitude: 96 54.704			
2 WATER WELL OWNER: JAY BOHNEN BLUST RR#, St. Address, Box # : 2125 BROUGTON FD					Elevation: /228 Datum:			
City	Code : CIAU CE	ANTEN W 1711	77	Data Collection Method:				
City, State, ZIP Code : CLAY CENTRY, KS 67477 Data Collection Method: 3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL								
LOCATION								
	WITH AN "X" IN Depth(s) Groundwater Encountered (1)							
SEC'	SECTION BOX: WELL'S STATIC WATER LEVEL							
Est. Yield. 300. gpm: Well water was								
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below								
								her (Specify below)
		2 Irrigation 4	Industrial 7 Domest	tic (lawn	& garden) 10	Monit	coring well	
Was a chemical/bacteriological sample submitted to Department? Yes; If yes, mo/day/yrs								
Sample was submitted								
S Sumple was suchimical.								
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped								
1	Steel	3 RMP (SR) 6 Asbest	tos-Cement 9 Othe	r (specify	below)		Welded	
Blank casing diameter								
Blank casing diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From 85 ft. to 95 ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From								
π. τοιι								
6 GRO	UT MATI			entonite	4 Other			
Grout In		From 3 ft. to		• • • • • • • • • • • • • • • • • • • •	ft. to	ft.,	From	ft. toft.
	the nearest Septic tank	source of possible contami		10 Livest	ock nens 13	Inca	cticide Storage	16 Other (specify
	Sepue tank Sewer line		1 2	11 Fuel s			ndoned water well	below)
		sewer lines 6 Seepage pi				5 Oil v	well/gas well	EXESTENG WALL
	,	1? EAST			y feet?	40)	
FROM	TO	LITHOLOG	GIC LOG	FROM	OT 1		PLUGGING INTI	ERVALS
0	19	CLAY, BROWN						
19	26	SHALR. GRAY						
26 47	47 56	I TAMESTANK 1301	n		-			
56	71	SHALE GRAY						
7/	74	LIMPSTENE						
74	95	SHALE, GRAY						
	_	-						
							-	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year) 17.24.06 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 1.2.1. This Water Well Record was completed on (mo/day/year)								
under th	e business	name of ASSOCTATE	DEPLITATE OFF	DDINT ala	y (signature)		Muffel	was sawas Sauda
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone								
795 206 5		one to WATER WELL O						

http://www.kdhe.state.ks.us/geo/waterwells.