

1 LOCATION OF WATER WELL: Fraction SW 1/4 NE 1/4 NW 1/4 Section Number 18 Township Number T 8 S Range Number R 5 E
 County: Riley

Distance and direction from nearest town or city street address of well if located within city? From Leonardville Mo 3 miles west on Hwy 24 thru G to the south

2 WATER WELL OWNER: Bathory Lechner
 RR#, St. Address, Box #: 16045 Barta Rd.
 City, State, ZIP Code: Leonardville, KS 66449
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

| | | | |
|---|---|--|---|
| N | | | |
| | X | | |
| | | | |
| W | | | E |
| | | | |
| | | | |
| S | | | |

4 DEPTH OF COMPLETED WELL 120' ft. ELEVATION: 90'
 Depth(s) Groundwater Encountered 1 70' ft. 2 ft. 3 ft.
 WELL'S STATIC WATER LEVEL 80' ft. below land surface measured on mo/day/yr
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield 15 gpm: Well water was ft. after hours pumping gpm
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
 Steel 3 RMP (SR) 6 Asbestos-Cement Welded
 PVC 4 ABS 7 Fiberglass Threaded
 Blank casing diameter 5 in. to 100 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface 2' in., weight 54.40 lbs./ft. Wall thickness or gauge No.
 TYPE OF SCREEN OR PERFORATION MATERIAL: PVC 10 Asbestos-Cement
 Mill slot 3 Mill slot 5 Fiberglass 8 RMP (SR) 11 Other (Specify)
 Key punched 4 Galvanized Steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 Mill slot 3 Mill slot 25/1000 6 Wire wrapped 9 Drilled holes
 Key punched 4 Key punched 7 Torch cut 10 Other (specify) ft.
 SCREEN-PERFORATED INTERVALS: From 100 ft. to 120 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 25 ft. to 120 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Bentonite 4 Other
 Grout intervals: From 5 ft. to 25 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 Septic tank Lateral lines Pit privy Livestock pens Abandoned water well
 Sewer lines Cess pool Sewage lagoon Fuel storage Oil well/Gas well
 Watertight sewer lines Seepage pit Feedyard Fertilizer storage Other (specify below)
 Insecticide storage
 Direction from well? How many feet?

| FROM | TO | LITHOLOGIC LOG | FROM | TO | PLUGGING INTERVALS |
|------|-----|----------------|------|----|--------------------|
| 0 | 1 | Top Soil | | | |
| 1 | 3 | Brown Clay | | | |
| 3 | 31 | Yellow Shale | | | |
| 31 | 33 | Limestone | | | |
| 33 | 51 | Brown Shale | | | |
| 51 | 54 | Limestone | | | |
| 54 | 68 | Brown Shale | | | |
| 68 | 81 | Limestone | | | |
| 81 | 90 | Brown Shale | | | |
| 90 | 120 | Limestone | | | |

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9/30/2003 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 951 This Water Well Record was completed on (mo/day/yr) 10/17/2003 under the business name of Haldeman Well Drilling by (signature) [Signature]