


1 LOCATION OF WATER WELL: Fraction $\frac{1}{4}$ N. $\frac{1}{2}$ $\frac{1}{4}$ N. $\frac{1}{2}$ $\frac{1}{4}$ Section Number 8 Township Number T 8 (S) Range Number R 5 (EW)
 County: Riley
 Distance and direction from nearest town or city street address of well if located within city? From Leonardville 90 1/2 Miles West on 24 & 60 2 miles north on Township Road & 1/2 mile West on Township

2 WATER WELL OWNER: Mr. Ken Olson
 RR#, St. Address, Box #: 209 East Chase
 City, State, ZIP Code: Leonardville, Kansas 66449
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:


4 DEPTH OF COMPLETED WELL: 200' ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. 165' ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL: 160' ft. below land surface measured on mo/day/yr
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield: 30 gpm; Well water was ft. after hours pumping gpm
 Bore Hole Diameter: 8 in. to 200' ft., and in. to ft.
 WELL WATER TO BE USED AS:
 1 Domestic (circled) 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well
 Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:
 1 Steel (circled) 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued & Sealed (circled), Clamped
 2 PVC (circled) 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 Blank casing diameter: 5" in. to 180' ft., Dia. in. to ft., Dia. in. to ft.
 Casing height above land surface: 2' in., weight: Sch. 40 lbs./ft. Wall thickness or gauge No.
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot (circled) 31/1000" 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From 180' ft. to 200' ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 20' ft. to 200' ft., From ft. to ft.

6 GROUT MATERIAL:
 1 Neat cement 2 Cement grout 3 Bentonite (circled) 4 Other
 Grout Intervals: From 0' ft. to 25' ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination: Lateral Lines (circled)
 1 Septic tank 4 Lateral lines (circled) 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? South East
 How many feet? 70'

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	20	Brown Clay	179	190	Rock
20	32	Gray Clay	190	200	Shale
32	42	Red Clay			
42	48	Rock			
48	62	Yellow Shale			
62	75	Rock			
75	86	Brown Shale			
86	92	Rock			
92	102	Brown Shale			
102	105	Rock			
105	135	Shale			
135	141	Rock			
141	160	Shale			
160	176	ROCK (Water)			
176	179	Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 2/10/88 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 451. This Water Well Record was completed on (mo/day/yr) 3/18/88 under the business name of Holdeman Well Drilling by signature Craig H. Crotts

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T
R
EW
SEC.
1/4
1/4
1/4