		RECORD	Form WWC-5				r Resources; App. No.		
Coun	ty: RL		Fraction SB 1/4 SW 1/4 NE	2_1/4	ection Nu	_	Township Number T 8 S	Range Number R EW	
Dista	nce and dir	ection from nearest town or cit	ty street address of wel	l if G	lobal Pos		Systems (decimal degr	rees, min. of 4 digits)	
locate		ty? Flow RANDOLPH: 2.5	MELIES SOWH, 17		Latitude:				
2 WATER WELL OWNER: SARI			0 446CH-12	I	Longitude:				
2 WA'	TER WEL , St. Addres	SS, Box # : /2006 LAKE	THINDS A			:			
	, St. Addres , State, ZIP	C-1-		I .	Datum:		N - 41 - 1		
POTODO CAPA .			KS: 66554		Data Collection Method:				
		L'S 4 DEPTH OF COM	PLETED WELL	220.	•••••	ft.			
	ATION H AN "X"	IN Denth(s) Groundwater	Encountered (1)	144	ft 4	(2)	ft (3)		
	TION BOX							/vr. 9// 4/04	
N Pump test data: Well water wasft. afterhou							hours pumping	gpm	
ГТ		Est. Yield5gpm: Well water wasft. afterhours pumping							
NV	v NE -		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 12 Other (Specific Labor)						
W E Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 120								her (Specify below)	
	' 1	2 Irrigation 4 Ind	moring well	•••••					
Was a chemical/bacteriological sample submitted to Department? Yes; If yes, mo/day/yrs									
Sample was submitted									
S									
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped									
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded									
QPVC 4 ABS 7 Fiberglass Threaded									
Blank casing diameter 5 in. to									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless Steel 5 Fiberglass 7 VO 9 ABS 11 Other (Specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From 2/. 0 ft. to 2.70 ft., From ft. to ft. GRAVEL PACK INTERVALS: From 25 ft. to 2.70 ft., From ft. to ft.									
From									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From									
	ntervals:			f	t. to		tt., From . 	ft . to ft.	
What is the nearest source of possible contamination: 1. Source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 6 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)									
		sewer lines 6 Seepage pit	0 0	2 Fertilize	_		oil well/gas well	NEW CONSTRUM	
		1?	Н		_				
FROM	TO	LITHOLOGIC	CLOG	FROM	TO		PLUGGING INT	ERVALS	
0	24	LTMESTOWE		171	174		ESTONA_		
24		SUALE, GRAY, TAW, RRD		174	193		LK, WILL		
42	46	LEMRSTONB		193		GYPS			
46	6/	SHALL BLUEGRAY		198	220	DHA	1.p. 6 Hery		
63	63	LEMISSONIA							
117	121	SUMIR, GRAY LIMPSOONS							
121	140	SHAUR GRAY							
140	144	LEMPSONA							
144	171	SHALE GRAY							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 70 constructed (2) reconstructed or (3) plugged									
under my jurisdiction and was completed on (mo/day/year) ?/									
Kansas Water Well Contractor's License No This Water Well Record was completed on (po/day/year)									
under the	ne business	name of ASSOCTATO	O DROLLENGE	bv bv	(cionatu	re)	-	•	
	OTIONE T		ACE DIEGO EIDLE V	DINIT -1 - 1	(Signatu	11 in 1-1- 1	Well to	oment angrees C1+-	
three con	CTIONS: U	se typewriter or ball point pen. <u>PLE</u> Department of Health and Environme	ASE PRESS FIRMLY and P.	RINT clearly	y. Please fi	ill in blanl	ks, underline or circle the o	correct answers. Send top	

http://www.kdhe.state.ks.us/geo/waterwells.