

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

[Empty box for application number]

1 LOCATION OF WATER WELL: County: Riley Fraction NE 1/4 NW 1/4 NW 1/4 Section Number 5 Township Number T 8 S Range Number R 6 E/W

Distance and direction from nearest town or city street address of well if located within city? 77 Hwy South of Randolph: West on Seen Rd Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: Longitude: Elevation: Datum: Data Collection Method:

2 WATER WELL OWNER: Rich Schurle 1 mile, 1S, 1/4 E RR#, St. Address, Box # : 11820 Walnut Creek Rd Leonardville, KS 66449 City, State, ZIP Code

3 LOCATE WELL'S LOCATION WITH AN 'X' IN SECTION BOX: [Diagram showing a 2x2 grid with NW, NE, SW, SE quadrants and an 'X' in the NW quadrant] 4 DEPTH OF COMPLETED WELL: 101 ft. Depth(s) Groundwater Encountered (1) 70 ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL: 70 ft. below land surface measured on mo/day/yr. 7/16/08 Pump test data: Well water was... ft. after... hours pumping... gpm Est. Yield... 15 gpm: Well water was... ft. after... hours pumping... gpm

5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued... Clamped... 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded... 2 PVC 4 ABS 7 Fiberglass Threaded...

Blank casing diameter 5 in. to 8.1 ft., Diameter. in. to ft., Diameter in. to ft. Casing height above land surface 1.8 in., Weight 200 lbs./ft. Wall thickness or guage No. 265

TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify) 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From 81 ft. to 101 ft., From ft. to ft. From ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 25 ft. to 101 ft., From ft. to ft. From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 5 ft. to 25 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify) 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well

Direction from well? North How many feet? 12

Table with columns FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows include: 0-11 Brown Clay, 11-15 Yellow Shale, 15-26 Limestone, 26-41 Tan Shale, 41-62 Red Shale, 62-74 Limestone, 74-81 Yellow Shale, 81-85 Gray Shale, 85-96 Limestone, 96-98 Red Shale, 98-101 White Shale.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7/16/08 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 518 This Water Well Record was completed on (mo/day/year) 7/20/08 under the business name of Blue Valley Drilling by (signature)

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.