

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

1 LOCATION OF WATER WELL: County: Riley County Fraction SW 1/4 NE 1/4 NE 1/4 Section Number 16 Township Number T 8 S Range Number R 6 E/W

Distance and direction from nearest town or city street address of well if located within city? 4.5 miles to Barton Rd then 6 West 1/2 mile S of Barton Rd. Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: Longitude: Elevation: Datum: Data Collection Method:

2 WATER WELL OWNER: RR#, St. Address, Box # City, State, ZIP Code 619 Feif 2701 Condoverwood Manhattan KS 66502

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: [Diagram showing a 3x3 grid with an 'X' in the NE quadrant] 4 DEPTH OF COMPLETED WELL 113 ft. Depth(s) Groundwater Encountered (1) 66 ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL 50 ft. below land surface measured on mo/day/yr. Pump test data: Well water was...ft. after... hours pumping... gpm Est. Yield 2.07 gpm: Well water was...ft. after... hours pumping... gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) Domestic

5 TYPE OF CASING USED: 1 Steel 3 RMP (SR) 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued... Clamped... 2 PVC 4 ABS 7 Fiberglass 9 Other (specify below) Welded... Threaded... Blank casing diameter 5 in. to 93 ft. Diameter 93 in. to 54.40 lbs./ft. Wall thickness or guage No. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify) 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 93 ft. to 113 ft. From 25 ft. to 113 ft. GRAVEL PACK INTERVALS: From 25 ft. to 113 ft. From ft. to ft. From ft. to ft. From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 5 ft. to 35 ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy None Close 10 Livestock pens 13 Insecticide storage 16 Other (specify below) 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/gas well Direction from well? How many feet?

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows include: 0-6 Top Soil, 6-34 Brown Clay, 34-37 Tan shale, 37-63 Limestone, 63-83 Reddish Brown Shale, 83-96 Limestone (Water), 96-113 Brown Shale, 96-113 Limestone.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3/1/2010 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 451 This Water Well Record was completed on (mo/day/year) 3/4/2010 under the business name of Hallemann Well Drilling by (signature) Craig E. Culp Jr.

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.