## CORRECTION(S) TO WATER WELL RECORD (WWC-5) (to rectify lacking or incorrect information)

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL REC	CORD	Form W	WC-5	Division of Wate	r Resources App. No	
1 LOCATION OF WATER WELL:		Fraction SE1/4 SE	1/4 1/4	Section Number	Township No.	Range Number R 7 ☑E □W
County: Po 77  Street/Rural Address of Well Location;		if unknown distance &	direction	Global Positioning		
from nearest town or ir	tersection: If at	owner's address, check	here .			(in decimal degrees)
13810 Granafor Road			Longitude: (in decimal degrees)			
13/10 (21) 39 30 (				Elevation:		
2 WATER WELL OWNER: STONE + Morthe Dehert.				Collection Method:		
2 WATER WELL OWNER: STeve + Morths Dehart RR#, Street Address, Box #: 13810 Cornelium Rose City, State, ZIP Code:				GPS unit (Make/Model:)		
City, State, ZIP Code : Olshung HS 66520			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey  Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL	00)-	1/2/0			·э ш, 🔲 э-э ш, 🗀	3-13 m, >13 m
WITH AN "X" IN	4 DEPTH OF	COMPLETED WELL	100			_
SECTION BOX: Depth(s) Groundwater Encountered (1)2.7				ft. (2) ft. (3) ft.		
WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr						ay/yr
Pump test data: Well water was						ping gpm
	Bore Hole Dian	leter9in. to	/00 / ft	., andin	. to	ft.
WELLWATER TO BE USED AS: Public water supply Geothermal In					njection well	
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
Industrial Domestic-lawn & garden Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No  If yes, mo/day/yr sample was submitted						
Water well disinfected?						
5 TYPE OF CASING USED:  Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter						
Casing height above land surfacein, Weight						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot 25 Gauze wrapped Torch cut Drilled holes None (open hole)  Louvered shutter Key punched Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From						
SCREEN-PERFORATED INTERVALS: From \$0 ft to \$10 ft From ft to ft						
From						
GRAVEL PACK INTERVALS: From						
From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From						
Septic tank    Lateral lines   Pit privy   Livestock pens   Insecticide storage   Other (specify below)						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
		PS Feedyard	☐ Fertilizer sto	from well 2.00	•	
FROM TO	LITHOLOG		FROM			IGGING INTERVALS
0 / 10	1 Soit		7.5	83 Linist		
1 12 RADI	up Clay		\$3		The Shale	
12 18 Bro	or Clay	LOMUL		0.9	7 0 112	
18 29 18rov	in Shall					
29 37 4	STONC	(VAII)				
37 47 5ps	Carl					`
47 54 Con	Dily SI	roll				
54 58 Gials	STONE					
38 28 Ta	Chale					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief.						
under my jurisdiction and was completed on (mo/day/year)						
under the business name of						
INSTRUCTIONS: Use typew	riter or ball point per	n. PLEASE PRESS FIRML	Yand <i>PRINT</i> clea	arly. Please fill in blank	s and check the corre	answers. Send three copies
(white, blue, pink) to Kansas I	Department of Health	and Environment, Bureau	of Water, Geolo	gy Section, 1000 SW Ja	ackson St. Suite 420,	Topeka, Kansas 66612-1367.
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212						